

CLI Extender

This document is documentation to the Magento2 extension CLI Extender.

Description

With this setting CLI methods it is possible to add products, categories, products to categories, edit cms pages, change magento configuration, execute any method on any factory or repository class, and many more.

Examples

```
#create category
```

```
bin/magento config:create:Catalog_Category '{"UrlKey":"fashion","Name":"Fashion","IsActive":true,"Data":["Fashion products"],"StoreId":1}'
```

```
#create category
```

```
bin/magento config:create:Catalog_Category '{"UrlKey":"flowers","Name":"Flowers","IsActive":true,"Data":["Flowers"],"StoreId":1}'
```

```
#create product
```

```
bin/magento config:create:Catalog_Product '{"Sku":"848000001","Price":200,"Name":"Minerva LumaTech™ V-Tee","TypeId":"simple","Visibility":4,"AttributeSetId":4,"Status":1,"StockData":{"use_config_manage_stock":0,"manage_stock":1,"min_sale_qty":1,"max_sale_qty":1,"is_in_stock":1,"qty":100}}'
```

```
#add product to category
```

```
bin/magento config:create:Catalog_CategoryProductLink '{"Sku":"848000001","CategoryId":2,"Position":1}'
```

```
#add product to category
```

```
bin/magento config:create:Catalog_CategoryProductLink '{"Sku":"848000001","CategoryId":3,"Position":1}'
```

```
#add image to product
```

```
bin/magento config:execute:Catalog_Product Sku 848000001 addImageToMediaGallery ["ws08-blue_back_1.jpg", ["image","small_image","thumbnail"],false,false]
```

```
#add image to product
```

```
bin/magento config:execute:Catalog_Product Sku 848000001 addImageToMediaGallery ["ws08-blue_main_1.jpg", ["image","small_image","thumbnail"],false,false]
```

```
#create product
```

```
bin/magento config:create:Catalog_Product '{"Sku":"848000002","Price":100,"Name":"Roses","TypeId":"simple","Visibility":4,"AttributeSetId":4,"Status":1,"StockData":{"use_config_manage_stock":0,"manage_stock":1,"min_sale_qty":1,"max_sale_qty":1,"is_in_stock":1,"qty":100}}'
```

```
#add image to product
```

```
bin/magento config:execute:Catalog_Product Sku 848000002 addImageToMediaGallery ["roses.jpg", ["image","small_image","thumbnail"],false,false]
```

```
#add product to category
```

```
bin/magento config:create:Catalog_CategoryProductLink '{"Sku":"848000002","CategoryId":2,"Position":1}'
```

```
#add product to category
```

```
bin/magento config:create:Catalog_CategoryProductLink '{"Sku":"848000002","CategoryId":4,"Position":1}'
```

```
#show products on main page
```

```
bin/magento config:set:Cms_Page 2 Content '{{widget type="Magento\CatalogWidget\Block\Product\ProductsList" show_pager="0" products_count="8" template="Magento_CatalogWidget::product/widget/content/grid.phtml" conditions_encoded="^[`1`:^[`type`:`Magento|CatalogWidget|Model|Rule|Condition|Combine`,`aggregator`:`all`,`value`:`1`,`new_child`:`^`,`1`-1`:^[`type`:`Magento|CatalogWidget|Model|Rule|Condition|Product`,`attribute`:`category_ids`,`operator`:`==`,`value`:`2`^]`" type_name="Catalog Products List"}}'
```

Installation

1. Buy extension through magento marketplace or [AveoTrade marketplace](#).

2. Install extension through CLI using command

```
composer require atconnect/magento-two-cli-extender:2.*
```

3. Refresh magento by

```
bin/magento setup:update
```

```
bin/magento setup:di:compile.
```

4. Check if installation was successful: `bin/magento -h config:execute`

MessageQueue_Lock

Namespace:	Magento\MessageQueue\Model
Class:	Lock
Used factory:	Magento\Framework\DataObjectFactory
Properties:	CreatedAt EntityId Id IdFieldName MessageCode
Methods:	config:show:MessageQueue_Lock config:set:MessageQueue_Lock config:create:MessageQueue_Lock config:execute:MessageQueue_Lock

Sitemap_Sitemap

Namespace:	Magento\Sitemap\Model
Class:	Sitemap
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Sitemap_Sitemap config:set:Sitemap_Sitemap config:create:Sitemap_Sitemap config:execute:Sitemap_Sitemap

Swatches_ResourceModel_Swatch_Collection

Namespace:	Magento\Swatches\Model\ResourceModel\Swatch
Class:	Collection
Used factory:	Magento\Swatches\Model\ResourceModel\Swatch\CollectionFactory
Properties:	MainTable
Methods:	config:create:Swatches_ResourceModel_Swatch_Collection config:execute:Swatches_ResourceModel_Swatch_Collection

Swatches_Swatch

Namespace:	Magento\Swatches\Model
Class:	Swatch
Used factory:	Magento\Swatches\Model\SwatchFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Swatches_Swatch config:set:Swatches_Swatch config:create:Swatches_Swatch config:execute:Swatches_Swatch

Eav_Form_Fieldset

Namespace:	Magento\Eav\Model\Form
Class:	Fieldset
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName Labels
Methods:	config:show:Eav_Form_Fieldset config:set:Eav_Form_Fieldset config:create:Eav_Form_Fieldset config:execute:Eav_Form_Fieldset

Eav_Form_Type

Namespace:	Magento\Eav\Model\Form
Class:	Type
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId EntityTypes Id IdFieldName
Methods:	config:show:Eav_Form_Type config:set:Eav_Form_Type config:create:Eav_Form_Type config:execute:Eav_Form_Type

Eav_Form_Element

Namespace:	Magento\Eav\Model\Form
Class:	Element
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Eav_Form_Element config:set:Eav_Form_Element config:create:Eav_Form_Element config:execute:Eav_Form_Element

Eav_ResourceModel_Form_Element_Collection

Namespace:	Magento\Eav\Model\ResourceModel\Form\Element
Class:	Collection
Properties:	MainTable
Methods:	config:show:Eav_ResourceModel_Form_Element_Collection config:set:Eav_ResourceModel_Form_Element_Collection config:create:Eav_ResourceModel_Form_Element_Collection config:execute:Eav_ResourceModel_Form_Element_Collection

Eav_ResourceModel_Attribute_Collection

Namespace:	Magento\Eav\Model\ResourceModel\Attribute
Class:	Collection

Used factory:	Magento\Eav\Model\ResourceModel\Entity\Attribute\CollectionFactory
Properties:	Website
Methods:	config:create:Eav_ResourceModel_Attribute_Collection config:execute:Eav_ResourceModel_Attribute_Collection

Eav_ResourceModel_Entity_Attribute_Collection

Namespace:	Magento\Eav\Model\ResourceModel\Entity\Attribute
Class:	Collection
Used factory:	Magento\Eav\Model\ResourceModel\Entity\Attribute\CollectionFactory
Properties:	MainTable
Methods:	config:create:Eav_ResourceModel_Entity_Attribute_Collection config:execute:Eav_ResourceModel_Entity_Attribute_Collection

Eav_ResourceModel_Entity_Attribute_Group_Collection

Namespace:	Magento\Eav\Model\ResourceModel\Entity\Attribute\Group
Class:	Collection
Used factory:	Magento\Eav\Model\ResourceModel\Entity\Attribute\Group\CollectionFactory
Properties:	MainTable
Methods:	config:create:Eav_ResourceModel_Entity_Attribute_Group_Collection config:execute:Eav_ResourceModel_Entity_Attribute_Group_Collection

Eav_ResourceModel_Entity_Attribute_Set_Collection

Namespace:	Magento\Eav\Model\ResourceModel\Entity\Attribute\Set
Class:	Collection
Used factory:	Magento\Eav\Model\ResourceModel\Entity\Attribute\Set\CollectionFactory
Properties:	MainTable
Methods:	config:create:Eav_ResourceModel_Entity_Attribute_Set_Collection config:execute:Eav_ResourceModel_Entity_Attribute_Set_Collection

Eav_ResourceModel_Entity_Type_Collection

Namespace:	Magento\Eav\Model\ResourceModel\Entity\Type
Class:	Collection
Used factory:	Magento\Eav\Model\ResourceModel\Entity\Type\CollectionFactory
Properties:	MainTable
Methods:	config:create:Eav_ResourceModel_Entity_Type_Collection config:execute:Eav_ResourceModel_Entity_Type_Collection

Eav_Attribute

Namespace:	Magento\Eav\Model
Class:	Attribute
Used factory:	Magento\Eav\Model\AttributeFactory
Used repository:	Magento\Eav\Model\AttributeRepository
Properties:	ValidateRules Website

Methods:

- config:show:Eav_Attribute
- config:set:Eav_Attribute
- config:create:Eav_Attribute
- config:execute:Eav_Attribute

Eav_Entity_Store

Namespace: Magento\Eav\Model\Entity
 Class: Store
 Used factory: Magento\Eav\Model\Entity\StoreFactory
 Properties: EntityId
 Id
 IdFieldName
 Methods: config:show:Eav_Entity_Store
 config:set:Eav_Entity_Store
 config:create:Eav_Entity_Store
 config:execute:Eav_Entity_Store

Eav_Entity_Attribute_Set

Namespace: Magento\Eav\Model\Entity\Attribute
 Class: Set
 Used factory: Magento\Eav\Model\Entity\Attribute\SetFactory
 Selectable by attribute
 Properties: AttributeSetId
 AttributeSetName
 CustomAttributes
 EntityTypeId
 ExtensionAttributes
 SortOrder
 Methods: config:show:Eav_Entity_Attribute_Set
 config:set:Eav_Entity_Attribute_Set
 config:create:Eav_Entity_Attribute_Set
 config:execute:Eav_Entity_Attribute_Set

Eav_Entity_Attribute_Option

Namespace: Magento\Eav\Model\Entity\Attribute
 Class: Option
 Used factory: Magento\Eav\Api\Data\AttributeOptionInterfaceFactory
 Properties: EntityId
 Id
 IdFieldName
 IsDefault
 Label
 SortOrder
 StoreLabels
 Value
 Methods: config:show:Eav_Entity_Attribute_Option
 config:set:Eav_Entity_Attribute_Option
 config:create:Eav_Entity_Attribute_Option
 config:execute:Eav_Entity_Attribute_Option

Eav_Entity_Attribute_OptionLabel

Namespace:	Magento\Eav\Model\Entity\Attribute
Class:	OptionLabel
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName Label StoreId
Methods:	config:show:Eav_Entity_Attribute_OptionLabel config:set:Eav_Entity_Attribute_OptionLabel config:create:Eav_Entity_Attribute_OptionLabel config:execute:Eav_Entity_Attribute_OptionLabel

Eav_Entity_Attribute_Group

Namespace:	Magento\Eav\Model\Entity\Attribute
Class:	Group
Used factory:	Magento\Eav\Model\Entity\Attribute\GroupFactory
Selectable by attribute	
Properties:	AttributeGroupCode AttributeGroupId AttributeGroupName AttributeSetId CustomAttributes DefaultId ExtensionAttributes SortOrder TabGroupCode
Methods:	config:show:Eav_Entity_Attribute_Group config:set:Eav_Entity_Attribute_Group config:create:Eav_Entity_Attribute_Group config:execute:Eav_Entity_Attribute_Group

Eav_Entity_Attribute_AbstractAttribute

Namespace:	Magento\Eav\Model\Entity\Attribute
Class:	AbstractAttribute
Selectable by attribute	
Properties:	AttributeCode AttributeId AttributeModel AttributeSetId BackendModel BackendTable BackendType CustomAttributes DefaultFrontendLabel DefaultValue Entity EntityType EntityTypeId ExtensionAttributes FrontendClass FrontendInput FrontendLabels IsRequired IsUnique

	IsUserDefined
	Name
	Note
	Options
	SourceModel
	ValidationRules
	Value
Methods:	config:show:Eav_Entity_Attribute_AbstractAttribute
	config:set:Eav_Entity_Attribute_AbstractAttribute
	config:create:Eav_Entity_Attribute_AbstractAttribute
	config:execute:Eav_Entity_Attribute_AbstractAttribute

Eav_Entity_Attribute_ValidationRule

Namespace:	Magento\Eav\Model\Entity\Attribute
Class:	ValidationRule
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId
	Id
	IdFieldName
	Key
	Value
Methods:	config:show:Eav_Entity_Attribute_ValidationRule
	config:set:Eav_Entity_Attribute_ValidationRule
	config:create:Eav_Entity_Attribute_ValidationRule
	config:execute:Eav_Entity_Attribute_ValidationRule

Eav_Entity_Type

Namespace:	Magento\Eav\Model\Entity
Class:	Type
Used factory:	Magento\Eav\Model\Entity\TypeFactory
loadBy methods:	Code
Properties:	EntityId
	Id
	IdFieldName
Methods:	config:show:Eav_Entity_Type
	config:set:Eav_Entity_Type
	config:create:Eav_Entity_Type
	config:execute:Eav_Entity_Type

Eav_Entity_Collection_AbstractCollection

Namespace:	Magento\Eav\Model\Entity\Collection
Class:	AbstractCollection
Used factory:	Magento\Framework\Data\CollectionFactory
Properties:	Connection
	Entity
	ItemObjectClass
	PageSize
	RowIdFieldName
Methods:	config:show:Eav_Entity_Collection_AbstractCollection
	config:set:Eav_Entity_Collection_AbstractCollection
	config:create:Eav_Entity_Collection_AbstractCollection
	config:execute:Eav_Entity_Collection_AbstractCollection

Eav_Entity_Collection_VersionControl_AbstractCollection

Namespace:	Magento\Eav\Model\Entity\Collection\VersionControl
Class:	AbstractCollection
Used factory:	Magento\Framework\Data\CollectionFactory
Properties:	Connection Entity ItemObjectClass PageSize RowIdFieldName
Methods:	config:show:Eav_Entity_Collection_VersionControl_AbstractCollection config:set:Eav_Entity_Collection_VersionControl_AbstractCollection config:create:Eav_Entity_Collection_VersionControl_AbstractCollection config:execute:Eav_Entity_Collection_VersionControl_AbstractCollection

Wishlist_Wishlist

Namespace:	Magento\Wishlist\Model
Class:	Wishlist
Used factory:	Magento\Wishlist\Model\WishlistFactory
loadBy methods:	Code
Properties:	CustomerId EntityId Id IdFieldName SharedStoreIds Store
Methods:	config:show:Wishlist_Wishlist config:set:Wishlist_Wishlist config:create:Wishlist_Wishlist config:execute:Wishlist_Wishlist

Wishlist_Item

Namespace:	Magento\Wishlist\Model
Class:	Item
Used factory:	Magento\Framework\DataObjectFactory
Properties:	BuyRequest CustomDownloadUrl EntityId Id IdFieldName Options
Methods:	config:show:Wishlist_Item config:set:Wishlist_Item config:create:Wishlist_Item config:execute:Wishlist_Item

Wishlist_Item_Option

Namespace:	Magento\Wishlist\Model\Item
Class:	Option
Used factory:	Magento\Framework\DataObjectFactory

Properties:	EntityId Id IdFieldName Item Product
Methods:	config:show:Wishlist_Item_Option config:set:Wishlist_Item_Option config:create:Wishlist_Item_Option config:execute:Wishlist_Item_Option

Review_Review_Status

Namespace:	Magento\Review\Model\Review
Class:	Status
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Review_Review_Status config:set:Review_Review_Status config:create:Review_Review_Status config:execute:Review_Review_Status

Review_Review_Summary

Namespace:	Magento\Review\Model\Review
Class:	Summary
Used factory:	Magento\Review\Model\Review\SummaryFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Review_Review_Summary config:set:Review_Review_Summary config:create:Review_Review_Summary config:execute:Review_Review_Summary

Review_ResourceModel_Review_Collection

Namespace:	Magento\Review\Model\ResourceModel\Review
Class:	Collection
Properties:	MainTable
Methods:	config:show:Review_ResourceModel_Review_Collection config:set:Review_ResourceModel_Review_Collection config:create:Review_ResourceModel_Review_Collection config:execute:Review_ResourceModel_Review_Collection

Review_ResourceModel_Review_Status_Collection

Namespace:	Magento\Review\Model\ResourceModel\Review\Status
Class:	Collection
Used factory:	Magento\Review\Model\ResourceModel\Review\Status\CollectionFactory
Properties:	MainTable

METHODS.

```
config:create:Review_ResourceModel_Review_Status_Collection
config:execute:Review_ResourceModel_Review_Status_Collection
```

Review_ResourceModel_Review_Summary_Collection

Namespace: Magento\Review\Model\ResourceModel\Review\Summary
 Class: Collection
 Used factory: Magento\Review\Model\ResourceModel\Review\Summary\CollectionFactory
 Properties: MainTable
 Methods: config:create:Review_ResourceModel_Review_Summary_Collection
 config:execute:Review_ResourceModel_Review_Summary_Collection

Review_ResourceModel_Rating_Collection

Namespace: Magento\Review\Model\ResourceModel\Rating
 Class: Collection
 Properties: MainTable
 Methods: config:show:Review_ResourceModel_Rating_Collection
 config:set:Review_ResourceModel_Rating_Collection
 config:create:Review_ResourceModel_Rating_Collection
 config:execute:Review_ResourceModel_Rating_Collection

Review_ResourceModel_Rating_Grid_Collection

Namespace: Magento\Review\Model\ResourceModel\Rating\Grid
 Class: Collection
 Properties: MainTable
 Methods: config:show:Review_ResourceModel_Rating_Grid_Collection
 config:set:Review_ResourceModel_Rating_Grid_Collection
 config:create:Review_ResourceModel_Rating_Grid_Collection
 config:execute:Review_ResourceModel_Rating_Grid_Collection

Review_Rating_Entity

Namespace: Magento\Review\Model\Rating
 Class: Entity
 Used factory: Magento\Framework\DataObjectFactory
 Properties: EntityId
 Id
 IdFieldName
 Methods: config:show:Review_Rating_Entity
 config:set:Review_Rating_Entity
 config:create:Review_Rating_Entity
 config:execute:Review_Rating_Entity

Review_Rating_Option

Namespace: Magento\Review\Model\Rating
 Class: Option
 Used factory: Magento\Framework\DataObjectFactory

Properties:	EntityId Id IdFieldName
Methods:	config:show:Review_Rating_Option config:set:Review_Rating_Option config:create:Review_Rating_Option config:execute:Review_Rating_Option

Review_Rating_Option_Vote

Namespace:	Magento\Review\Model\Rating\Option
Class:	Vote
Used factory:	Magento\Review\Model\Rating\Option\VoteFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Review_Rating_Option_Vote config:set:Review_Rating_Option_Vote config:create:Review_Rating_Option_Vote config:execute:Review_Rating_Option_Vote

Review_Rating

Namespace:	Magento\Review\Model
Class:	Rating
Used factory:	Magento\Review\Model\RatingFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Review_Rating config:set:Review_Rating config:create:Review_Rating config:execute:Review_Rating

Review_Review

Namespace:	Magento\Review\Model
Class:	Review
Used factory:	Magento\Review\Model\ReviewFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Review_Review config:set:Review_Review config:create:Review_Review config:execute:Review_Review

Review_Rss

Namespace:	Magento\Review\Model
Class:	Rss
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId

Methods:

- Id
- IdFieldName
- config:show:Review_Rss
- config:set:Review_Rss
- config:create:Review_Rss
- config:execute:Review_Rss

Vault_PaymentToken

Namespace: Magento\Vault\Model
 Class: PaymentToken
 Used factory: Magento\Vault\Model\PaymentTokenFactory
 Used repository: Magento\Vault\Model\PaymentTokenRepository
 Properties:

- CreatedAt
- CustomerId
- EntityId
- ExpiresAt
- GatewayToken
- Id
- IdFieldName
- IsActive
- IsVisible
- PaymentMethodCode
- PublicHash
- TokenDetails
- Type

Methods:

- config:show:Vault_PaymentToken
- config:set:Vault_PaymentToken
- config:create:Vault_PaymentToken
- config:execute:Vault_PaymentToken

Persistent_Session

Namespace: Magento\Persistent\Model
 Class: Session
 Used factory: Magento\Persistent\Model\SessionFactory
 loadBy methods:

- CookieKey
- CustomerId

Properties:

- EntityId
- Id
- IdFieldName
- LoadExpired

Methods:

- config:show:Persistent_Session
- config:set:Persistent_Session
- config:create:Persistent_Session
- config:execute:Persistent_Session

ConfigurableProduct_ResourceModel_Product_Type_Configurable_Attribute_Collection

Namespace: Magento\ConfigurableProduct\Model\ResourceModel\Product\Type\Configurable\Attribute
 Class: Collection
 Used factory: Magento\ConfigurableProduct\Model\ResourceModel\Product\Type\Configurable\Attribute\Collectio
 nFactory
 Properties:

- MainTable

Methods: config:create:ConfigurableProduct_ResourceModel_Product_Type_Configurable_Attribute_Collection
 config:execute:ConfigurableProduct_ResourceModel_Product_Type_Configurable_Attribute_Collection

ConfigurableProduct_Product_Type_Configurable_Attribute

Namespace: Magento\ConfigurableProduct\Model\Product\Type\Configurable
 Class: Attribute
 Used factory: Magento\ConfigurableProduct\Model\Product\Type\Configurable\AttributeFactory
 Selectable by attribute
 Properties: AttributeId
 CustomAttributes
 ExtensionAttributes
 Id
 IsUseDefault
 Label
 Position
 ProductAttribute
 ProductId
 Values
 Methods: config:show:ConfigurableProduct_Product_Type_Configurable_Attribute
 config:set:ConfigurableProduct_Product_Type_Configurable_Attribute
 config:create:ConfigurableProduct_Product_Type_Configurable_Attribute
 config:execute:ConfigurableProduct_Product_Type_Configurable_Attribute

ConfigurableProduct_Product_Type_Configurable_OptionValue

Namespace: Magento\ConfigurableProduct\Model\Product\Type\Configurable
 Class: OptionValue
 Used factory: Magento\ConfigurableProduct\Api\Data\OptionValueInterfaceFactory
 Selectable by attribute
 Properties: CustomAttributes
 ExtensionAttributes
 ValueIndex
 Methods: config:show:ConfigurableProduct_Product_Type_Configurable_OptionValue
 config:set:ConfigurableProduct_Product_Type_Configurable_OptionValue
 config:create:ConfigurableProduct_Product_Type_Configurable_OptionValue
 config:execute:ConfigurableProduct_Product_Type_Configurable_OptionValue

ConfigurableProduct_Quote_Item_ConfigurableItemOptionValue

Namespace: Magento\ConfigurableProduct\Model\Quote\Item
 Class: ConfigurableItemOptionValue
 Used factory: Magento\ConfigurableProduct\Model\Quote\Item\ConfigurableItemOptionValueFactory
 Properties: CustomAttributes
 ExtensionAttributes
 OptionId
 OptionValue
 Methods: config:create:ConfigurableProduct_Quote_Item_ConfigurableItemOptionValue
 config:execute:ConfigurableProduct_Quote_Item_ConfigurableItemOptionValue

Weee_Tax

Namespace: Magento\Weee\Model

Class:	Tax
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Weee_Tax config:set:Weee_Tax config:create:Weee_Tax config:execute:Weee_Tax

Weee_ProductRender_WeeeAdjustmentAttribute

Namespace:	Magento\Weee\Model\ProductRender
Class:	WeeeAdjustmentAttribute
Selectable by attribute	
Properties:	Amount AmountExclTax AttributeCode CustomAttributes ExtensionAttributes TaxAmount TaxAmountInclTax
Methods:	config:show:Weee_ProductRender_WeeeAdjustmentAttribute config:set:Weee_ProductRender_WeeeAdjustmentAttribute config:create:Weee_ProductRender_WeeeAdjustmentAttribute config:execute:Weee_ProductRender_WeeeAdjustmentAttribute

GraphQL_Query_Resolver_Context

Namespace:	Magento\GraphQL\Model\Query\Resolver
Class:	Context
Selectable by attribute	
Properties:	CustomAttributes ExtensionAttributes UserId UserType
Methods:	config:show:GraphQL_Query_Resolver_Context config:set:GraphQL_Query_Resolver_Context config:create:GraphQL_Query_Resolver_Context config:execute:GraphQL_Query_Resolver_Context

SalesSequence_Meta

Namespace:	Magento\SalesSequence\Model
Class:	Meta
Used factory:	Magento\SalesSequence\Model\MetaFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:SalesSequence_Meta config:set:SalesSequence_Meta config:create:SalesSequence_Meta config:execute:SalesSequence_Meta

SalesSequence_Profile

Namespace:	Magento\SalesSequence\Model
Class:	Profile
Used factory:	Magento\SalesSequence\Model\ProfileFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:SalesSequence_Profile config:set:SalesSequence_Profile config:create:SalesSequence_Profile config:execute:SalesSequence_Profile

Backup_Backup

Namespace:	Magento\Backup\Model
Class:	Backup
Used factory:	Magento\Backup\Model\BackupFactory
Properties:	File Type
Methods:	config:show:Backup_Backup config:set:Backup_Backup config:create:Backup_Backup config:execute:Backup_Backup

Backup_Fs_Collection

Namespace:	Magento\Backup\Model\Fs
Class:	Collection
Used factory:	Magento\Framework\Data\CollectionFactory
Properties:	PageSize
Methods:	config:show:Backup_Fs_Collection config:set:Backup_Fs_Collection config:create:Backup_Fs_Collection config:execute:Backup_Fs_Collection

Payment_Method_AbstractMethod

Namespace:	Magento\Payment\Model\Method
Class:	AbstractMethod
Selectable by attribute	
Properties:	CustomAttributes InfoInstance Store
Methods:	config:show:Payment_Method_AbstractMethod config:set:Payment_Method_AbstractMethod config:create:Payment_Method_AbstractMethod config:execute:Payment_Method_AbstractMethod

Payment_Source_Cctype

Namespace:	Magento\Payment\Model\Source
Class:	Cctype
Used factory:	Magento\Payment\Model\Source\CctypeFactory
Properties:	AllowedTypes
Methods:	config:create:Payment_Source_Cctype config:execute:Payment_Source_Cctype

CheckoutAgreements_ResourceModel_Agreement_Grid_Collection

Namespace:	Magento\CheckoutAgreements\Model\ResourceModel\Agreement\Grid
Class:	Collection
Properties:	MainTable
Methods:	config:show:CheckoutAgreements_ResourceModel_Agreement_Grid_Collection config:set:CheckoutAgreements_ResourceModel_Agreement_Grid_Collection config:create:CheckoutAgreements_ResourceModel_Agreement_Grid_Collection config:execute:CheckoutAgreements_ResourceModel_Agreement_Grid_Collection

CheckoutAgreements_Agreement

Namespace:	Magento\CheckoutAgreements\Model
Class:	Agreement
Selectable by attribute	
Properties:	AgreementId CheckboxText Content ContentHeight CustomAttributes ExtensionAttributes IsActive IsHtml Mode Name
Methods:	config:show:CheckoutAgreements_Agreement config:set:CheckoutAgreements_Agreement config:create:CheckoutAgreements_Agreement config:execute:CheckoutAgreements_Agreement

Cron_Schedule

Namespace:	Magento\Cron\Model
Class:	Schedule
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Cron_Schedule config:set:Cron_Schedule config:create:Cron_Schedule config:execute:Cron_Schedule

Authorization_ResourceModel_Rules_Collection

Namespace:	Magento\Authorization\Model\ResourceModel\Rules
------------	---

Class:	Collection
Used factory:	Magento\Authorization\Model\ResourceModel\Rules\CollectionFactory
getBy methods:	Roles
Properties:	MainTable
Methods:	config:show:Authorization_ResourceModel_Rules_Collection config:set:Authorization_ResourceModel_Rules_Collection config:create:Authorization_ResourceModel_Rules_Collection config:execute:Authorization_ResourceModel_Rules_Collection

Authorization_ResourceModel_Role_Collection

Namespace:	Magento\Authorization\Model\ResourceModel\Role
Class:	Collection
Used factory:	Magento\Authorization\Model\ResourceModel\Role\CollectionFactory
Properties:	MainTable
Methods:	config:create:Authorization_ResourceModel_Role_Collection config:execute:Authorization_ResourceModel_Role_Collection

Authorization_ResourceModel_Role_Grid_Collection

Namespace:	Magento\Authorization\Model\ResourceModel\Role\Grid
Class:	Collection
Used factory:	Magento\Authorization\Model\ResourceModel\Role\CollectionFactory
Properties:	MainTable
Methods:	config:create:Authorization_ResourceModel_Role_Grid_Collection config:execute:Authorization_ResourceModel_Role_Grid_Collection

Authorization_ResourceModel_Permissions_Collection

Namespace:	Magento\Authorization\Model\ResourceModel\Permissions
Class:	Collection
Used factory:	Magento\Authorization\Model\ResourceModel\Rules\CollectionFactory
getBy methods:	Roles
Properties:	MainTable
Methods:	config:show:Authorization_ResourceModel_Permissions_Collection config:set:Authorization_ResourceModel_Permissions_Collection config:create:Authorization_ResourceModel_Permissions_Collection config:execute:Authorization_ResourceModel_Permissions_Collection

Authorization_Role

Namespace:	Magento\Authorization\Model
Class:	Role
Used factory:	Magento\Authorization\Model\RoleFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Authorization_Role config:set:Authorization_Role config:create:Authorization_Role config:execute:Authorization_Role

Authorization_Rules

Namespace:	Magento\Authorization\Model
Class:	Rules
Used factory:	Magento\Authorization\Model\RulesFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Authorization_Rules config:set:Authorization_Rules config:create:Authorization_Rules config:execute:Authorization_Rules

Cms_Block

Namespace:	Magento\Cms\Model
Class:	Block
Used factory:	Magento\Framework\DataObjectFactory
Used repository:	Magento\Cms\Model\BlockRepository
Properties:	Content CreationTime EntityId Id IdFieldName Identifier Title UpdateTime
Methods:	config:show:Cms_Block config:set:Cms_Block config:create:Cms_Block config:execute:Cms_Block

Cms_Wysiwyg_Images_Storage_Collection

Namespace:	Magento\Cms\Model\Wysiwyg\Images\Storage
Class:	Collection
Used factory:	Magento\Framework\Data\CollectionFactory
Properties:	PageSize
Methods:	config:show:Cms_Wysiwyg_Images_Storage_Collection config:set:Cms_Wysiwyg_Images_Storage_Collection config:create:Cms_Wysiwyg_Images_Storage_Collection config:execute:Cms_Wysiwyg_Images_Storage_Collection

Cms_Page

Namespace:	Magento\Cms\Model
Class:	Page
Used factory:	Magento\Cms\Model\PageFactory
Used repository:	Magento\Cms\Model\PageRepository
Properties:	Content ContentHeading CreationTime CustomLayoutUpdateXml CustomRootTemplate

CustomTheme
 CustomThemeFrom
 CustomThemeTo
 EntityId
 Id
 IdFieldName
 Identifier
 LayoutUpdateXml
 MetaDescription
 MetaKeywords
 MetaTitle
 PageLayout
 SortOrder
 Title
 UpdateTime
 config:show:Cms_Page
 config:set:Cms_Page
 config:create:Cms_Page
 config:execute:Cms_Page

Methods:

CatalogInventory_ResourceModel_Stock_Collection

Namespace: Magento\CatalogInventory\Model\ResourceModel\Stock
 Class: Collection
 Used factory: Magento\CatalogInventory\Api\Data\StockCollectionInterfaceFactory
 Properties: Aggregations
 DataInterfaceName
 Items
 SearchCriteria
 TotalCount
 Methods: config:create:CatalogInventory_ResourceModel_Stock_Collection
 config:execute:CatalogInventory_ResourceModel_Stock_Collection

CatalogInventory_ResourceModel_Stock_Status_Collection

Namespace: Magento\CatalogInventory\Model\ResourceModel\Stock\Status
 Class: Collection
 Used factory: Magento\CatalogInventory\Api\Data\StockStatusCollectionInterfaceFactory
 Properties: Aggregations
 DataInterfaceName
 Items
 SearchCriteria
 TotalCount
 Methods: config:create:CatalogInventory_ResourceModel_Stock_Status_Collection
 config:execute:CatalogInventory_ResourceModel_Stock_Status_Collection

CatalogInventory_ResourceModel_Stock_Item_Collection

Namespace: Magento\CatalogInventory\Model\ResourceModel\Stock\Item
 Class: Collection
 Used factory: Magento\CatalogInventory\Api\Data\StockItemCollectionInterfaceFactory
 Properties: Aggregations
 DataInterfaceName
 Items
 SearchCriteria

Methods:

```

return;
config:create:CatalogInventory_ResourceModel_Stock_Item_Collection
config:execute:CatalogInventory_ResourceModel_Stock_Item_Collection

```

CatalogInventory_Stock_Status

Namespace: Magento\CatalogInventory\Model\Stock

Class: Status

Used factory: Magento\CatalogInventory\Model\Stock>StatusFactory

Used repository: Magento\CatalogInventory\Api\StockStatusRepositoryInterface

Properties:

- CustomAttributes
- ExtensionAttributes
- ProductId
- Qty
- StockId
- StockStatus
- WebsiteId

Methods:

```

config:show:CatalogInventory_Stock_Status
config:set:CatalogInventory_Stock_Status
config:create:CatalogInventory_Stock_Status
config:execute:CatalogInventory_Stock_Status

```

CatalogInventory_Stock_Item

Namespace: Magento\CatalogInventory\Model\Stock

Class: Item

Used factory: Magento\CatalogInventory\Api\Data\StockItemInterfaceFactory

Used repository: Magento\CatalogInventory\Api\StockItemRepositoryInterface

Properties:

- Backorders
- CustomAttributes
- CustomerGroupId
- EnableQtyIncrements
- ExtensionAttributes
- IsDecimalDivided
- IsInStock
- IsQtyDecimal
- ItemId
- LowStockDate
- ManageStock
- MaxSaleQty
- MinQty
- MinSaleQty
- NotifyStockQty
- ProductId
- Qty
- QtyIncrements
- StockId
- StockStatusChangedAuto
- StoreId
- UseConfigBackorders
- UseConfigEnableQtyInc
- UseConfigManageStock
- UseConfigMaxSaleQty
- UseConfigMinQty
- UseConfigMinSaleQty
- UseConfigNotifyStockQty
- UseConfigQtyIncrements
- WebsiteId

Methods:

```

config:show:CatalogInventory_Stock_Item
config:set:CatalogInventory_Stock_Item

```

config:create:CatalogInventory_Stock_Item
 config:execute:CatalogInventory_Stock_Item

CatalogInventory_Stock

Namespace: Magento\CatalogInventory\Model
 Class: Stock
 Used factory: Magento\CatalogInventory\Model\StockFactory
 Used repository: Magento\CatalogInventory\Api\StockRepositoryInterface
 Properties: CustomAttributes
 ExtensionAttributes
 StockId
 StockName
 WebsiteId
 Methods: config:show:CatalogInventory_Stock
 config:set:CatalogInventory_Stock
 config:create:CatalogInventory_Stock
 config:execute:CatalogInventory_Stock

AdminNotification_Feed

Namespace: Magento\AdminNotification\Model
 Class: Feed
 Used factory: Magento\Framework\DataObjectFactory
 Properties: EntityId
 Id
 IdFieldName
 Methods: config:show:AdminNotification_Feed
 config:set:AdminNotification_Feed
 config:create:AdminNotification_Feed
 config:execute:AdminNotification_Feed

AdminNotification_System_Message

Namespace: Magento\AdminNotification\Model\System
 Class: Message
 Used factory: Magento\Framework\DataObjectFactory
 Properties: EntityId
 Id
 IdFieldName
 Methods: config:show:AdminNotification_System_Message
 config:set:AdminNotification_System_Message
 config:create:AdminNotification_System_Message
 config:execute:AdminNotification_System_Message

AdminNotification_Inbox

Namespace: Magento\AdminNotification\Model
 Class: Inbox
 Used factory: Magento\Framework\DataObjectFactory
 Properties: EntityId
 Id
 IdFieldName

Methods:

- config:show:AdminNotification_Inbox
- config:set:AdminNotification_Inbox
- config:create:AdminNotification_Inbox
- config:execute:AdminNotification_Inbox

GiftMessage_Message

Namespace: Magento\GiftMessage\Model
 Class: Message
 Selectable by attribute
 Properties: CustomAttributes
 CustomerId
 ExtensionAttributes
 GiftMessageId
 Message
 Recipient
 Sender
 Methods: config:show:GiftMessage_Message
 config:set:GiftMessage_Message
 config:create:GiftMessage_Message
 config:execute:GiftMessage_Message

GiftMessage_Save

Namespace: Magento\GiftMessage\Model
 Class: Save
 Used factory: Magento\Framework\DataObjectFactory
 Properties: AllowQuoteItems
 Methods: config:create:GiftMessage_Save
 config:execute:GiftMessage_Save

Braintree_Adminhtml_Source_CcType

Namespace: Magento\Braintree\Model\Adminhtml\Source
 Class: CcType
 Used factory: Magento\Payment\Model\Source\CctypeFactory
 Properties: AllowedTypes
 Methods: config:create:Braintree_Adminhtml_Source_CcType
 config:execute:Braintree_Adminhtml_Source_CcType

Braintree_Report_TransactionsCollection

Namespace: Magento\Braintree\Model\Report
 Class: TransactionsCollection
 Used factory: Magento\Framework\Data\CollectionFactory
 Properties: Aggregations
 Items
 PageSize
 SearchCriteria
 TotalCount
 Methods: config:show:Braintree_Report_TransactionsCollection
 config:set:Braintree_Report_TransactionsCollection
 config:create:Braintree_Report_TransactionsCollection

config:execute:Braintree_Report_TransactionsCollection

Sales_ResourceModel_Order_Collection

Namespace: Magento\Sales\Model\ResourceModel\Order
 Class: Collection
 Used factory: Magento\Sales\Model\ResourceModel\Order\CollectionFactory
 Properties: Items
 SearchCriteria
 TotalCount
 Methods: config:create:Sales_ResourceModel_Order_Collection
 config:execute:Sales_ResourceModel_Order_Collection

Sales_ResourceModel_Order_Address_Collection

Namespace: Magento\Sales\Model\ResourceModel\Order\Address
 Class: Collection
 Used factory: Magento\Sales\Model\ResourceModel\Order\Address\CollectionFactory
 Properties: Items
 SearchCriteria
 TotalCount
 Methods: config:create:Sales_ResourceModel_Order_Address_Collection
 config:execute:Sales_ResourceModel_Order_Address_Collection

Sales_ResourceModel_Order_Item_Collection

Namespace: Magento\Sales\Model\ResourceModel\Order\Item
 Class: Collection
 Used factory: Magento\Sales\Api\Data\OrderItemSearchResultInterfaceFactory
 Properties: Items
 SearchCriteria
 TotalCount
 Methods: config:create:Sales_ResourceModel_Order_Item_Collection
 config:execute:Sales_ResourceModel_Order_Item_Collection

Sales_ResourceModel_Sale_Collection

Namespace: Magento\Sales\Model\ResourceModel\Sale
 Class: Collection
 Properties: MainTable
 Methods: config:show:Sales_ResourceModel_Sale_Collection
 config:set:Sales_ResourceModel_Sale_Collection
 config:create:Sales_ResourceModel_Sale_Collection
 config:execute:Sales_ResourceModel_Sale_Collection

Sales_Order_Invoice

Namespace: Magento\Sales\Model\Order
 Class: Invoice
 Used repository: Magento\Sales\Model\Order\InvoiceRepository

loadBy methods:	IncrementId
Properties:	BaseCurrencyCode
	BaseDiscountAmount
	BaseDiscountTaxCompensationAmount
	BaseGrandTotal
	BaseShippingAmount
	BaseShippingDiscountTaxCompensationAmnt
	BaseShippingInclTax
	BaseShippingTaxAmount
	BaseSubtotal
	BaseSubtotalInclTax
	BaseTaxAmount
	BaseToGlobalRate
	BaseToOrderRate
	BaseTotalRefunded
	BillingAddressId
	CanVoidFlag
	Comments
	CreatedAt
	CustomAttributes
	DiscountAmount
	DiscountDescription
	DiscountTaxCompensationAmount
	EmailSent
	EntityId
	ExtensionAttributes
	GlobalCurrencyCode
	GrandTotal
	IncrementId
	IsUsedForRefund
	Items
	Order
	OrderCurrencyCode
	OrderId
	ShippingAddressId
	ShippingAmount
	ShippingDiscountTaxCompensationAmount
	ShippingInclTax
	ShippingTaxAmount
	State
	StoreCurrencyCode
	StoreId
	StoreToBaseRate
	StoreToOrderRate
	Subtotal
	SubtotalInclTax
	TaxAmount
	TotalQty
	TransactionId
	UpdatedAt
Methods:	config:show:Sales_Order_Invoice
	config:set:Sales_Order_Invoice
	config:create:Sales_Order_Invoice
	config:execute:Sales_Order_Invoice

Sales_Order_Shipment

Namespace:	Magento\Sales\Model\Order
Class:	Shipment
Used factory:	Magento\Sales\Model\Order\ShipmentFactory
Used repository:	Magento\Sales\Model\Order\ShipmentRepository
loadBy methods:	IncrementId

Properties:	BillingAddressId Comments CreatedAt CustomAttributes CustomerId EmailSent EntityId ExtensionAttributes IncrementId Items Order OrderId Packages ShipmentStatus ShippingAddressId ShippingLabel StoreId TotalQty TotalWeight Tracks UpdatedAt
Methods:	config:show:Sales_Order_Shipment config:set:Sales_Order_Shipment config:create:Sales_Order_Shipment config:execute:Sales_Order_Shipment

Sales_Order_Pdf_Items_AbstractItems

Namespace:	Magento\Sales\Model\Order\Pdf\Items
Class:	AbstractItems
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName Item Order Page Pdf Source
Methods:	config:show:Sales_Order_Pdf_Items_AbstractItems config:set:Sales_Order_Pdf_Items_AbstractItems config:create:Sales_Order_Pdf_Items_AbstractItems config:execute:Sales_Order_Pdf_Items_AbstractItems

Sales_Order_Tax_Item

Namespace:	Magento\Sales\Model\Order\Tax
Class:	Item
Used factory:	Magento\Tax\Api\Data\OrderTaxDetailsItemInterfaceFactory
Selectable by attribute	
Properties:	AppliedTaxes AssociatedItemId CustomAttributes ExtensionAttributes ItemId Type
Methods:	config:show:Sales_Order_Tax_Item config:set:Sales_Order_Tax_Item config:create:Sales_Order_Tax_Item

config:execute:Sales_Order_Tax_Item

Sales_Order_Tax

Namespace: Magento\Sales\Model\Order
 Class: Tax
 Used factory: Magento\Framework\DataObjectFactory
 Properties: EntityId
 Id
 IdFieldName
 Methods: config:show:Sales_Order_Tax
 config:set:Sales_Order_Tax
 config:create:Sales_Order_Tax
 config:execute:Sales_Order_Tax

Sales_Order_Creditmemo

Namespace: Magento\Sales\Model\Order
 Class: Creditmemo
 Used factory: Magento\Sales\Model\Order\CreditmemoFactory
 Used repository: Magento\Sales\Model\Order\CreditmemoRepository
 Properties: Adjustment
 AdjustmentNegative
 AdjustmentPositive
 BaseAdjustment
 BaseAdjustmentNegative
 BaseAdjustmentPositive
 BaseCurrencyCode
 BaseDiscountAmount
 BaseDiscountTaxCompensationAmount
 BaseGrandTotal
 BaseShippingAmount
 BaseShippingDiscountTaxCompensationAmnt
 BaseShippingInclTax
 BaseShippingTaxAmount
 BaseSubtotal
 BaseSubtotalInclTax
 BaseTaxAmount
 BaseToGlobalRate
 BaseToOrderRate
 BillingAddressId
 Comments
 CreatedAt
 CreditmemoStatus
 CustomAttributes
 DiscountAmount
 DiscountDescription
 DiscountTaxCompensationAmount
 EmailSent
 EntityId
 ExtensionAttributes
 GlobalCurrencyCode
 GrandTotal
 IncrementId
 Invoice
 InvoiceId
 Items
 Order
 OrderCurrencyCode

OrderId
 ShippingAddressId
 ShippingAmount
 ShippingDiscountTaxCompensationAmount
 ShippingInclTax
 ShippingTaxAmount
 State
 StoreCurrencyCode
 StoreId
 StoreToBaseRate
 StoreToOrderRate
 Subtotal
 SubtotalInclTax
 TaxAmount
 TransactionId
 UpdatedAt
 config:show:Sales_Order_Creditmemo
 config:set:Sales_Order_Creditmemo
 config:create:Sales_Order_Creditmemo
 config:execute:Sales_Order_Creditmemo

Methods:

Sales_Config_Ordered

Namespace: Magento\Sales\Model\Config
 Class: Ordered
 Used factory: Magento\Framework\App\Config\BaseFactory
 Properties: Xml
 Methods: config:create:Sales_Config_Ordered
 config:execute:Sales_Config_Ordered

Sales_Order

Namespace: Magento\Sales\Model
 Class: Order
 Used factory: Magento\Sales\Model\OrderFactory
 Used repository: Magento\Sales\Model\OrderRepository
 loadBy methods: IncrementId
 Properties: AdjustmentNegative
 AdjustmentPositive
 AppliedRuleIds
 BaseAdjustmentNegative
 BaseAdjustmentPositive
 BaseCurrencyCode
 BaseDiscountAmount
 BaseDiscountCanceled
 BaseDiscountInvoiced
 BaseDiscountRefunded
 BaseDiscountTaxCompensationAmount
 BaseDiscountTaxCompensationInvoiced
 BaseDiscountTaxCompensationRefunded
 BaseGrandTotal
 BaseShippingAmount
 BaseShippingCanceled
 BaseShippingDiscountAmount
 BaseShippingDiscountTaxCompensationAmnt
 BaseShippingInclTax
 BaseShippingInvoiced
 BaseShippingRefunded
 BaseShippingTaxAmount

BaseShippingTaxRefunded
BaseSubtotal
BaseSubtotalCanceled
BaseSubtotalInclTax
BaseSubtotalInvoiced
BaseSubtotalRefunded
BaseTaxAmount
BaseTaxCanceled
BaseTaxInvoiced
BaseTaxRefunded
BaseToGlobalRate
BaseToOrderRate
BaseTotalCanceled
BaseTotalDue
BaseTotalInvoiced
BaseTotalInvoicedCost
BaseTotalOfflineRefunded
BaseTotalOnlineRefunded
BaseTotalPaid
BaseTotalQtyOrdered
BaseTotalRefunded
BillingAddress
BillingAddressId
CanSendNewEmailFlag
CanShipPartially
CanShipPartiallyItem
CouponCode
CreatedAt
CustomAttributes
CustomerDob
CustomerEmail
CustomerFirstname
CustomerGender
CustomerGroupId
CustomerId
CustomerIsGuest
CustomerLastname
CustomerMiddlename
CustomerNote
CustomerNoteNotify
CustomerPrefix
CustomerSuffix
CustomerTaxvat
DiscountAmount
DiscountCanceled
DiscountDescription
DiscountInvoiced
DiscountRefunded
DiscountTaxCompensationAmount
DiscountTaxCompensationInvoiced
DiscountTaxCompensationRefunded
EditIncrement
EmailSent
EntityId
ExtCustomerId
ExtOrderId
ExtensionAttributes
ForcedShipmentWithInvoice
GlobalCurrencyCode
GrandTotal
HoldBeforeState
HoldBeforeStatus
IncrementId
InvoiceCollection
IsVirtual

Items
 OrderCurrencyCode
 OriginalIncrementId
 Payment
 PaymentAuthExpiration
 PaymentAuthorizationAmount
 ProtectCode
 QuoteAddressId
 QuoteId
 RelationChildId
 RelationChildRealId
 RelationParentId
 RelationParentRealId
 RemoteIp
 ShippingAddress
 ShippingAmount
 ShippingCanceled
 ShippingDescription
 ShippingDiscountAmount
 ShippingDiscountTaxCompensationAmount
 ShippingInclTax
 ShippingInvoiced
 ShippingRefunded
 ShippingTaxAmount
 ShippingTaxRefunded
 State
 Status
 StatusHistories
 StoreCurrencyCode
 StoreId
 StoreName
 StoreToBaseRate
 StoreToOrderRate
 Subtotal
 SubtotalCanceled
 SubtotalInclTax
 SubtotalInvoiced
 SubtotalRefunded
 TaxAmount
 TaxCanceled
 TaxInvoiced
 TaxRefunded
 TotalCanceled
 TotalDue
 TotalInvoiced
 TotalItemCount
 TotalOfflineRefunded
 TotalOnlineRefunded
 TotalPaid
 TotalQtyOrdered
 TotalRefunded
 UpdatedAt
 Weight
 XForwardedFor

Methods:

config:show:Sales_Order
 config:set:Sales_Order
 config:create:Sales_Order
 config:execute:Sales_Order

Sales_AdminOrder_Create

Namespace:

Magento\Sales\Model\AdminOrder

Class:	Create
Used factory:	Magento\Framework\DataObjectFactory
Properties:	BillingAddress IsValidate Quote ShippingAddress
Methods:	config:create:Sales_AdminOrder_Create config:execute:Sales_AdminOrder_Create

Sales_AbstractNotifier

Namespace:	Magento\Sales\Model
Class:	AbstractNotifier
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Sales_AbstractNotifier config:set:Sales_AbstractNotifier config:create:Sales_AbstractNotifier config:execute:Sales_AbstractNotifier

MediaStorage_File_Storage_Database_AbstractDatabase

Namespace:	Magento\MediaStorage\Model\File\Storage\Database
Class:	AbstractDatabase
Used factory:	Magento\Framework\DataObjectFactory
Properties:	ConnectionName EntityId Id IdFieldName
Methods:	config:show:MediaStorage_File_Storage_Database_AbstractDatabase config:set:MediaStorage_File_Storage_Database_AbstractDatabase config:create:MediaStorage_File_Storage_Database_AbstractDatabase config:execute:MediaStorage_File_Storage_Database_AbstractDatabase

MediaStorage_File_Storage_Database

Namespace:	Magento\MediaStorage\Model\File\Storage
Class:	Database
Used factory:	Magento\MediaStorage\Model\File\Storage\DatabaseFactory
loadBy methods:	Filename
Properties:	ConnectionName EntityId Id IdFieldName
Methods:	config:show:MediaStorage_File_Storage_Database config:set:MediaStorage_File_Storage_Database config:create:MediaStorage_File_Storage_Database config:execute:MediaStorage_File_Storage_Database

MediaStorage_File_Storage_Flag

Namespace:	Magento\MediaStorage\Model\File\Storage
Class:	Flag
Used factory:	Magento\Framework\FlagFactory
Properties:	FlagData
Methods:	config:create:MediaStorage_File_Storage_Flag config:execute:MediaStorage_File_Storage_Flag

MediaStorage_File_Storage_Directory_Database

Namespace:	Magento\MediaStorage\Model\File\Storage\Directory
Class:	Database
Used factory:	Magento\Framework\DataObjectFactory
loadBy methods:	Path
Properties:	ConnectionName EntityId Id IdFieldName
Methods:	config:show:MediaStorage_File_Storage_Directory_Database config:set:MediaStorage_File_Storage_Directory_Database config:create:MediaStorage_File_Storage_Directory_Database config:execute:MediaStorage_File_Storage_Directory_Database

MediaStorage_File_Storage

Namespace:	Magento\MediaStorage\Model\File
Class:	Storage
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:MediaStorage_File_Storage config:set:MediaStorage_File_Storage config:create:MediaStorage_File_Storage config:execute:MediaStorage_File_Storage

Integration_Oauth_Token

Namespace:	Magento\Integration\Model\Oauth
Class:	Token
Used factory:	Magento\Integration\Model\Oauth\TokenFactory
loadBy methods:	AdminId CustomerId Token
Properties:	EntityId Id IdFieldName
Methods:	config:show:Integration_Oauth_Token config:set:Integration_Oauth_Token config:create:Integration_Oauth_Token config:execute:Integration_Oauth_Token

Integration_Oauth_Nonce

Namespace:	Magento\Integration\Model\Oauth
Class:	Nonce
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Integration_Oauth_Nonce config:set:Integration_Oauth_Nonce config:create:Integration_Oauth_Nonce config:execute:Integration_Oauth_Nonce

Integration_Oauth_Consumer

Namespace:	Magento\Integration\Model\Oauth
Class:	Consumer
Used factory:	Magento\Integration\Model\Oauth\ConsumerFactory
loadBy methods:	Key
Properties:	EntityId Id IdFieldName
Methods:	config:show:Integration_Oauth_Consumer config:set:Integration_Oauth_Consumer config:create:Integration_Oauth_Consumer config:execute:Integration_Oauth_Consumer

Integration_Integration

Namespace:	Magento\Integration\Model
Class:	Integration
Used factory:	Magento\Integration\Model\IntegrationFactory
loadBy methods:	ConsumerId
Properties:	EntityId Id IdFieldName
Methods:	config:show:Integration_Integration config:set:Integration_Integration config:create:Integration_Integration config:execute:Integration_Integration

CatalogUrlRewrite_Category_Product

Namespace:	Magento\CatalogUrlRewrite\Model\Category
Class:	Product
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:CatalogUrlRewrite_Category_Product config:set:CatalogUrlRewrite_Category_Product config:create:CatalogUrlRewrite_Category_Product config:execute:CatalogUrlRewrite_Category_Product

Customer_ResourceModel_Form_Attribute_Collection

Namespace:	Magento\Customer\Model\ResourceModel\Form\Attribute
Class:	Collection
Used factory:	Magento\Customer\Model\ResourceModel\Form\Attribute\CollectionFactory
Properties:	EntityType MainTable Store
Methods:	config:create:Customer_ResourceModel_Form_Attribute_Collection config:execute:Customer_ResourceModel_Form_Attribute_Collection

Customer_ResourceModel_Group_Collection

Namespace:	Magento\Customer\Model\ResourceModel\Group
Class:	Collection
Used factory:	Magento\Customer\Model\ResourceModel\Group\CollectionFactory
Properties:	MainTable
Methods:	config:create:Customer_ResourceModel_Group_Collection config:execute:Customer_ResourceModel_Group_Collection

Customer_ResourceModel_Group_Grid_Collection

Namespace:	Magento\Customer\Model\ResourceModel\Group\Grid
Class:	Collection
Used factory:	Magento\Customer\Model\ResourceModel\Group\CollectionFactory
Properties:	Aggregations Items MainTable SearchCriteria TotalCount
Methods:	config:create:Customer_ResourceModel_Group_Grid_Collection config:execute:Customer_ResourceModel_Group_Grid_Collection

Customer_ResourceModel_Customer_Collection

Namespace:	Magento\Customer\Model\ResourceModel\Customer
Class:	Collection
Used factory:	Magento\Customer\Model\ResourceModel\Customer\CollectionFactory
Properties:	Connection Entity ItemObjectClass PageSize RowIdFieldName
Methods:	config:show:Customer_ResourceModel_Customer_Collection config:set:Customer_ResourceModel_Customer_Collection config:create:Customer_ResourceModel_Customer_Collection config:execute:Customer_ResourceModel_Customer_Collection

Customer_ResourceModel_Customer_Indexer_Collection

Namespace:	Magento\Customer\Model\ResourceModel\Customer\Indexer
Class:	Collection
Used factory:	Magento\Customer\Model\ResourceModel\Customer\Indexer\CollectionFactory

Properties:

Connection

Entity

ItemObjectClass

PageSize

RowIdFieldName

Methods:

config:show:Customer_ResourceModel_Customer_Indexer_Collection

config:set:Customer_ResourceModel_Customer_Indexer_Collection

config:create:Customer_ResourceModel_Customer_Indexer_Collection

config:execute:Customer_ResourceModel_Customer_Indexer_Collection

Customer_ResourceModel_Attribute_Collection

Namespace:

Magento\Customer\Model\ResourceModel\Attribute

Class:

Collection

Used factory:

Magento\Eav\Model\ResourceModel\Entity\Attribute\CollectionFactory

Properties:

Website

Methods:

config:create:Customer_ResourceModel_Attribute_Collection

config:execute:Customer_ResourceModel_Attribute_Collection

Customer_ResourceModel_Address_Collection

Namespace:

Magento\Customer\Model\ResourceModel\Address

Class:

Collection

Used factory:

Magento\Customer\Model\ResourceModel\Address\CollectionFactory

Properties:

Connection

Entity

ItemObjectClass

PageSize

RowIdFieldName

Methods:

config:show:Customer_ResourceModel_Address_Collection

config:set:Customer_ResourceModel_Address_Collection

config:create:Customer_ResourceModel_Address_Collection

config:execute:Customer_ResourceModel_Address_Collection

Customer_ResourceModel_Address_Attribute_Collection

Namespace:

Magento\Customer\Model\ResourceModel\Address\Attribute

Class:

Collection

Used factory:

Magento\Eav\Model\ResourceModel\Entity\Attribute\CollectionFactory

Properties:

Website

Methods:

config:create:Customer_ResourceModel_Address_Attribute_Collection

config:execute:Customer_ResourceModel_Address_Attribute_Collection

Customer_ResourceModel_Visitor_Collection

Namespace:

Magento\Customer\Model\ResourceModel\Visitor

Class:

Collection

Used factory:

Magento\Customer\Model\ResourceModel\Visitor\CollectionFactory

Properties:

MainTable

Methods:

config:create:Customer_ResourceModel_Visitor_Collection

config:execute:Customer_ResourceModel_Visitor_Collection

Customer_Address

Namespace:	Magento\Customer\Model
Class:	Address
Used factory:	Magento\Customer\Model\AddressFactory
Properties:	Customer CustomerId RegionId
Methods:	config:create:Customer_Address config:execute:Customer_Address

Customer_Attribute

Namespace:	Magento\Customer\Model
Class:	Attribute
Used factory:	Magento\Eav\Model\Entity\AttributeFactory
Properties:	ValidateRules Website
Methods:	config:create:Customer_Attribute config:execute:Customer_Attribute

Customer_Customer

Namespace:	Magento\Customer\Model
Class:	Customer
Used factory:	Magento\Customer\Model\CustomerFactory
loadBy methods:	Email
Properties:	EntityId Id IdFieldName Password Store
Methods:	config:show:Customer_Customer config:set:Customer_Customer config:create:Customer_Customer config:execute:Customer_Customer

Customer_Address_Config

Namespace:	Magento\Customer\Model\Address
Class:	Config
Used factory:	Magento\Framework\Config\DataInterfaceFactory
Properties:	Store
Methods:	config:create:Customer_Address_Config config:execute:Customer_Address_Config

Customer_Backend_Customer

Namespace:	Magento\Customer\Model\Backend
Class:	Customer
Used factory:	Magento\Framework\DataObjectFactory

loadBy methods:	Email
Properties:	EntityId Id IdFieldName Password Store
Methods:	config:show:Customer_Backend_Customer config:set:Customer_Backend_Customer config:create:Customer_Backend_Customer config:execute:Customer_Backend_Customer

Customer_Group

Namespace:	Magento\Customer\Model
Class:	Group
Used factory:	Magento\Customer\Model\GroupFactory
Properties:	Code EntityId Id IdFieldName
Methods:	config:show:Customer_Group config:set:Customer_Group config:create:Customer_Group config:execute:Customer_Group

Customer_Config_Backend_Show_Address

Namespace:	Magento\Customer\Model\Config\Backend\Show
Class:	Address
Used factory:	Magento\Framework\DataObjectFactory
loadBy methods:	Email
Properties:	EntityId Id IdFieldName Password Store
Methods:	config:show:Customer_Config_Backend_Show_Address config:set:Customer_Config_Backend_Show_Address config:create:Customer_Config_Backend_Show_Address config:execute:Customer_Config_Backend_Show_Address

Customer_Config_Backend_Show_AddressOnly

Namespace:	Magento\Customer\Model\Config\Backend\Show
Class:	AddressOnly
Used factory:	Magento\Framework\DataObjectFactory
loadBy methods:	Email
Properties:	EntityId Id IdFieldName Password Store
Methods:	config:show:Customer_Config_Backend_Show_AddressOnly config:set:Customer_Config_Backend_Show_AddressOnly config:create:Customer_Config_Backend_Show_AddressOnly config:execute:Customer_Config_Backend_Show_AddressOnly

Customer_Visitor

Namespace:	Magento\Customer\Model
Class:	Visitor
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Customer_Visitor config:set:Customer_Visitor config:create:Customer_Visitor config:execute:Customer_Visitor

Customer_Data_Region

Namespace:	Magento\Customer\Model\Data
Class:	Region
Used factory:	Magento\Customer\Api\Data\RegionInterfaceFactory
Properties:	CustomAttributes ExtensionAttributes Region RegionCode RegionId
Methods:	config:create:Customer_Data_Region config:execute:Customer_Data_Region

Customer_Data_ValidationResults

Namespace:	Magento\Customer\Model\Data
Class:	ValidationResults
Used factory:	Magento\Customer\Api\Data\ValidationResultsInterfaceFactory
Properties:	Messages
Methods:	config:create:Customer_Data_ValidationResults config:execute:Customer_Data_ValidationResults

Customer_Data_Address

Namespace:	Magento\Customer\Model\Data
Class:	Address
Used factory:	Magento\Customer\Api\Data\AddressInterfaceFactory
Used repository:	Magento\Customer\Api\AddressRepositoryInterface
Properties:	City Company CountryId CustomAttributes CustomerId ExtensionAttributes Fax Firstname Id Lastname Middlename

	Postcode
	Prefix
	Region
	RegionId
	Street
	Suffix
	Telephone
	VatId
Methods:	config:show:Customer_Data_Address
	config:set:Customer_Data_Address
	config:create:Customer_Data_Address
	config:execute:Customer_Data_Address

Customer_Data_Option

Namespace:	Magento\Customer\Model\Data
Class:	Option
Used factory:	Magento\Customer\Api\Data\OptionInterfaceFactory
Properties:	Label
	Options
	Value
Methods:	config:create:Customer_Data_Option
	config:execute:Customer_Data_Option

Customer_Data_Customer

Namespace:	Magento\Customer\Model\Data
Class:	Customer
Used factory:	Magento\Customer\Api\Data\CustomerInterfaceFactory
Properties:	Addresses
	Confirmation
	CreatedAt
	CreatedIn
	CustomAttributes
	DefaultBilling
	DefaultShipping
	DisableAutoGroupChange
	Dob
	Email
	ExtensionAttributes
	Firstname
	Gender
	GroupId
	Id
	Lastname
	Middlename
	Prefix
	StoreId
	Suffix
	Taxvat
	UpdatedAt
	WebsiteId
Methods:	config:create:Customer_Data_Customer
	config:execute:Customer_Data_Customer

Customer_Data_Group

Namespace:	Magento\Customer\Model\Data
Class:	Group
Used factory:	Magento\Customer\Api\Data\GroupInterfaceFactory
Used repository:	Magento\Customer\Api\GroupRepositoryInterface
Properties:	Code CustomAttributes ExtensionAttributes Id TaxClassId TaxClassName
Methods:	config:show:Customer_Data_Group config:set:Customer_Data_Group config:create:Customer_Data_Group config:execute:Customer_Data_Group

Customer_Data_ValidationRule

Namespace:	Magento\Customer\Model\Data
Class:	ValidationRule
Used factory:	Magento\Customer\Api\Data\ValidationRuleInterfaceFactory
Properties:	Name Value
Methods:	config:create:Customer_Data_ValidationRule config:execute:Customer_Data_ValidationRule

Customer_Data_AttributeMetadata

Namespace:	Magento\Customer\Model\Data
Class:	AttributeMetadata
Used factory:	Magento\Customer\Api\Data\AttributeMetadataInterfaceFactory
Properties:	AttributeCode BackendType DataModel DefaultValue FrontendClass FrontendInput FrontendLabel InputFilter IsFilterableInGrid IsSearchableInGrid IsUsedInGrid IsVisibleInGrid MultilineCount Note Options SortOrder StoreLabel ValidationRules
Methods:	config:create:Customer_Data_AttributeMetadata config:execute:Customer_Data_AttributeMetadata

Store_ResourceModel_Group_Collection

Namespace:	Magento\Store\Model\ResourceModel\Group
Class:	Collection

Used factory:	Magento\Store\Model\ResourceModel\Group\CollectionFactory
Properties:	LoadDefault MainTable
Methods:	config:create:Store_ResourceModel_Group_Collection config:execute:Store_ResourceModel_Group_Collection

Store_ResourceModel_Store_Collection

Namespace:	Magento\Store\Model\ResourceModel\Store
Class:	Collection
Used factory:	Magento\Store\Model\ResourceModel\Store\CollectionFactory
loadBy methods:	CategoryIds
Properties:	LoadDefault MainTable
Methods:	config:show:Store_ResourceModel_Store_Collection config:set:Store_ResourceModel_Store_Collection config:create:Store_ResourceModel_Store_Collection config:execute:Store_ResourceModel_Store_Collection

Store_ResourceModel_Website_Collection

Namespace:	Magento\Store\Model\ResourceModel\Website
Class:	Collection
Used factory:	Magento\Store\Model\ResourceModel\Website\CollectionFactory
Properties:	LoadDefault MainTable
Methods:	config:show:Store_ResourceModel_Website_Collection config:set:Store_ResourceModel_Website_Collection config:create:Store_ResourceModel_Website_Collection config:execute:Store_ResourceModel_Website_Collection

Store_ResourceModel_Website_Grid_Collection

Namespace:	Magento\Store\Model\ResourceModel\Website\Grid
Class:	Collection
Used factory:	Magento\Store\Model\ResourceModel\Website\CollectionFactory
Properties:	LoadDefault MainTable
Methods:	config:show:Store_ResourceModel_Website_Grid_Collection config:set:Store_ResourceModel_Website_Grid_Collection config:create:Store_ResourceModel_Website_Grid_Collection config:execute:Store_ResourceModel_Website_Grid_Collection

Store_Store

Namespace:	Magento\Store\Model
Class:	Store
Used factory:	Magento\Store\Model\StoreFactory
Used repository:	Magento\Store\Model\StoreRepository
Properties:	Code CurrentCurrencyCode CustomAttributes ExtensionAttributes

	Group
	Id
	IsActive
	Name
	StoreGroupId
	Website
	Websiteld
Methods:	config:show:Store_Store
	config:set:Store_Store
	config:create:Store_Store
	config:execute:Store_Store

Store_Group

Namespace:	Magento\Store\Model
Class:	Group
Used factory:	Magento\Store\Model\GroupFactory
Selectable by attribute	
Used repository:	Magento\Store\Model\GroupRepository
Properties:	Code
	CustomAttributes
	DefaultStoreId
	ExtensionAttributes
	Id
	Name
	RootCategoryId
	Stores
	Website
	Websiteld
Methods:	config:show:Store_Group
	config:set:Store_Group
	config:create:Store_Group
	config:execute:Store_Group

Store_Website

Namespace:	Magento\Store\Model
Class:	Website
Used factory:	Magento\Store\Model\WebsiteFactory
Selectable by attribute	
Used repository:	Magento\Store\Model\WebsiteRepository
Properties:	Code
	CustomAttributes
	DefaultGroupId
	ExtensionAttributes
	Groups
	Id
	IsDefault
	Name
	SortOrder
	Stores
Methods:	config:show:Store_Website
	config:set:Store_Website
	config:create:Store_Website
	config:execute:Store_Website

Widget_Layout_Link

Namespace:	Magento\Widget\Model\Layout
Class:	Link
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Widget_Layout_Link config:set:Widget_Layout_Link config:create:Widget_Layout_Link config:execute:Widget_Layout_Link

Widget_Layout_Update

Namespace:	Magento\Widget\Model\Layout
Class:	Update
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Widget_Layout_Update config:set:Widget_Layout_Update config:create:Widget_Layout_Update config:execute:Widget_Layout_Update

Widget_Widget_Instance

Namespace:	Magento\Widget\Model\Widget
Class:	Instance
Used factory:	Magento\Framework\DataObjectFactory
Properties:	Code EntityId Id IdFieldName Type
Methods:	config:show:Widget_Widget_Instance config:set:Widget_Widget_Instance config:create:Widget_Widget_Instance config:execute:Widget_Widget_Instance

Tax_ResourceModel_Calculation_Rate_Title_Collection

Namespace:	Magento\Tax\Model\ResourceModel\Calculation\Rate\Title
Class:	Collection
loadBy methods:	RateId
Properties:	MainTable
Methods:	config:show:Tax_ResourceModel_Calculation_Rate_Title_Collection config:set:Tax_ResourceModel_Calculation_Rate_Title_Collection config:create:Tax_ResourceModel_Calculation_Rate_Title_Collection config:execute:Tax_ResourceModel_Calculation_Rate_Title_Collection

Tax_ResourceModel_Sales_Order_Tax_Collection

Namespace:	Magento\Tax\Model\ResourceModel\Sales\Order\Tax
Class:	Collection
Used factory:	Magento\Tax\Model\ResourceModel\Sales\Order\Tax\CollectionFactory
loadBy methods:	Order
Properties:	MainTable
Methods:	config:show:Tax_ResourceModel_Sales_Order_Tax_Collection config:set:Tax_ResourceModel_Sales_Order_Tax_Collection config:create:Tax_ResourceModel_Sales_Order_Tax_Collection config:execute:Tax_ResourceModel_Sales_Order_Tax_Collection

Tax_ResourceModel_TaxClass_Collection

Namespace:	Magento\Tax\Model\ResourceModel\TaxClass
Class:	Collection
Used factory:	Magento\Tax\Model\ResourceModel\TaxClass\CollectionFactory
Properties:	MainTable
Methods:	config:create:Tax_ResourceModel_TaxClass_Collection config:execute:Tax_ResourceModel_TaxClass_Collection

Tax_ClassModel

Namespace:	Magento\Tax\Model
Class:	ClassModel
Used factory:	Magento\Tax\Model\ClassModelFactory
Selectable by attribute	
Properties:	ClassId ClassName ClassType CustomAttributes ExtensionAttributes
Methods:	config:show:Tax_ClassModel config:set:Tax_ClassModel config:create:Tax_ClassModel config:execute:Tax_ClassModel

Tax_Calculation_Rate

Namespace:	Magento\Tax\Model\Calculation
Class:	Rate
Used factory:	Magento\Tax\Model\Calculation\RateFactory
Used repository:	Magento\Tax\Model\Calculation\RateRepository
loadBy methods:	Code
Properties:	Code CustomAttributes ExtensionAttributes Id Rate RegionName TaxCountryId TaxPostcode TaxRegionId Titles ZipFrom ZiplsRange ZipTo

Methods:

- config:show:Tax_Calculation_Rate
- config:set:Tax_Calculation_Rate
- config:create:Tax_Calculation_Rate
- config:execute:Tax_Calculation_Rate

Tax_Calculation_Rule

Namespace: Magento\Tax\Model\Calculation

Class: Rule

Selectable by attribute

Properties:

- CalculateSubtotal
- Code
- CustomAttributes
- CustomerTaxClassIds
- ExtensionAttributes
- Id
- Position
- Priority
- ProductTaxClassIds
- TaxRateIds

Methods:

- config:show:Tax_Calculation_Rule
- config:set:Tax_Calculation_Rule
- config:create:Tax_Calculation_Rule
- config:execute:Tax_Calculation_Rule

Tax_Calculation_Rate_Title

Namespace: Magento\Tax\Model\Calculation\Rate

Class: Title

Used factory: Magento\Tax\Model\Calculation\Rate>TitleFactory

Selectable by attribute

Properties:

- CustomAttributes
- ExtensionAttributes
- StoreId
- Value

Methods:

- config:show:Tax_Calculation_Rate_Title
- config:set:Tax_Calculation_Rate_Title
- config:create:Tax_Calculation_Rate_Title
- config:execute:Tax_Calculation_Rate_Title

Tax_Sales_Order_Tax

Namespace: Magento\Tax\Model\Sales\Order

Class: Tax

Used factory: Magento\Tax\Api\Data\OrderTaxDetailsAppliedTaxInterfaceFactory

Selectable by attribute

Properties:

- Amount
- BaseAmount
- BaseRealAmount
- Code
- CustomAttributes
- ExtensionAttributes
- OrderId
- Percent
- Position
- Priority

Methods:

- Process
- Rates
- Title
- config:show:Tax_Sales_Order_Tax
- config:set:Tax_Sales_Order_Tax
- config:create:Tax_Sales_Order_Tax
- config:execute:Tax_Sales_Order_Tax

Tax_Sales_Order_Details

Namespace: Magento\Tax\Model\Sales\Order

Class: Details

Used factory: Magento\Tax\Api\Data\OrderTaxDetailsInterfaceFactory

Selectable by attribute

Properties:

- AppliedTaxes
- CustomAttributes
- ExtensionAttributes
- Items

Methods:

- config:show:Tax_Sales_Order_Details
- config:set:Tax_Sales_Order_Details
- config:create:Tax_Sales_Order_Details
- config:execute:Tax_Sales_Order_Details

Tax_Sales_Quote_ItemDetails

Namespace: Magento\Tax\Model\Sales\Quote

Class: ItemDetails

Used factory: Magento\Tax\Api\Data\QuoteDetailsItemInterfaceFactory

Properties:

- AssociatedItemCode
- Code
- CustomAttributes
- DiscountAmount
- ExtensionAttributes
- IsTaxIncluded
- ParentCode
- Quantity
- ShortDescription
- TaxClassId
- TaxClassKey
- Type
- UnitPrice

Methods:

- config:create:Tax_Sales_Quote_ItemDetails
- config:execute:Tax_Sales_Quote_ItemDetails

Tax_Sales_Quote_QuoteDetails

Namespace: Magento\Tax\Model\Sales\Quote

Class: QuoteDetails

Used factory: Magento\Tax\Api\Data\QuoteDetailsInterfaceFactory

Properties:

- BillingAddress
- CustomAttributes
- CustomerId
- CustomerTaxClassId
- CustomerTaxClassKey
- ExtensionAttributes
- Items

ShippingAddress
 Methods: config:create:Tax_Sales_Quote_QuoteDetails
 config:execute:Tax_Sales_Quote_QuoteDetails

Tax_TaxClass_Key

Namespace: Magento\Tax\Model\TaxClass
 Class: Key
 Used factory: Magento\Tax\Api\Data\TaxClassKeyInterfaceFactory
 Properties: CustomAttributes
 ExtensionAttributes
 Type
 Value
 Methods: config:create:Tax_TaxClass_Key
 config:execute:Tax_TaxClass_Key

Tax_TaxDetails_ItemDetails

Namespace: Magento\Tax\Model\TaxDetails
 Class: ItemDetails
 Used factory: Magento\Tax\Api\Data\TaxDetailsItemInterfaceFactory
 Properties: AppliedTaxes
 AssociatedItemCode
 Code
 CustomAttributes
 DiscountAmount
 DiscountTaxCompensationAmount
 ExtensionAttributes
 Price
 PriceInclTax
 RowTax
 RowTotal
 RowTotalInclTax
 TaxPercent
 TaxableAmount
 Type
 Methods: config:create:Tax_TaxDetails_ItemDetails
 config:execute:Tax_TaxDetails_ItemDetails

Tax_TaxDetails_TaxDetails

Namespace: Magento\Tax\Model\TaxDetails
 Class: TaxDetails
 Used factory: Magento\Tax\Api\Data\TaxDetailsInterfaceFactory
 Properties: AppliedTaxes
 CustomAttributes
 DiscountTaxCompensationAmount
 ExtensionAttributes
 Items
 Subtotal
 TaxAmount
 Methods: config:create:Tax_TaxDetails_TaxDetails
 config:execute:Tax_TaxDetails_TaxDetails

Tax_Calculation

Namespace:	Magento\Tax\Model
Class:	Calculation
Used factory:	Magento\Tax\Model\CalculationFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Tax_Calculation config:set:Tax_Calculation config:create:Tax_Calculation config:execute:Tax_Calculation

Bundle_BundleOption

Namespace:	Magento\Bundle\Model
Class:	BundleOption
Used factory:	Magento\Bundle\Api\Data\BundleOptionInterfaceFactory
Properties:	CustomAttributes ExtensionAttributes OptionId OptionQty OptionSelections
Methods:	config:create:Bundle_BundleOption config:execute:Bundle_BundleOption

Bundle_ResourceModel_Option_Collection

Namespace:	Magento\Bundle\Model\ResourceModel\Option
Class:	Collection
Used factory:	Magento\Bundle\Model\ResourceModel\Option\CollectionFactory
Properties:	MainTable
Methods:	config:create:Bundle_ResourceModel_Option_Collection config:execute:Bundle_ResourceModel_Option_Collection

Bundle_Source_Option_Type

Namespace:	Magento\Bundle\Model\Source\Option
Class:	Type
Selectable by attribute	
Properties:	Code CustomAttributes ExtensionAttributes Label
Methods:	config:show:Bundle_Source_Option_Type config:set:Bundle_Source_Option_Type config:create:Bundle_Source_Option_Type config:execute:Bundle_Source_Option_Type

Bundle_Sales_Order_Pdf_Items_AbstractItems

Namespace:	Magento\Bundle\Model\Sales\Order\Pdf\Items
Class:	AbstractItems
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName Item Order Page Pdf Source
Methods:	config:show:Bundle_Sales_Order_Pdf_Items_AbstractItems config:set:Bundle_Sales_Order_Pdf_Items_AbstractItems config:create:Bundle_Sales_Order_Pdf_Items_AbstractItems config:execute:Bundle_Sales_Order_Pdf_Items_AbstractItems

Bundle_Option

Namespace:	Magento\Bundle\Model
Class:	Option
Used factory:	Magento\Bundle\Model\OptionFactory
Selectable by attribute	
Used repository:	Magento\Bundle\Model\OptionRepository
Properties:	CustomAttributes ExtensionAttributes OptionId ParentId Position ProductLinks Required Sku Title Type
Methods:	config:show:Bundle_Option config:set:Bundle_Option config:create:Bundle_Option config:execute:Bundle_Option

Bundle_Link

Namespace:	Magento\Bundle\Model
Class:	Link
Used factory:	Magento\Bundle\Api\Data\LinkInterfaceFactory
Selectable by attribute	
Properties:	CanChangeQuantity CustomAttributes ExtensionAttributes Id IsDefault OptionId Position Price PriceType Qty Sku
Methods:	config:show:Bundle_Link config:set:Bundle_Link config:create:Bundle_Link config:execute:Bundle_Link

Bundle_Selection

Namespace:	Magento\Bundle\Model
Class:	Selection
Used factory:	Magento\Bundle\Model\SelectionFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Bundle_Selection config:set:Bundle_Selection config:create:Bundle_Selection config:execute:Bundle_Selection

SalesRule_Rule_Customer

Namespace:	Magento\SalesRule\Model\Rule
Class:	Customer
Used factory:	Magento\SalesRule\Model\Rule\CustomerFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:SalesRule_Rule_Customer config:set:SalesRule_Rule_Customer config:create:SalesRule_Rule_Customer config:execute:SalesRule_Rule_Customer

SalesRule_Validator

Namespace:	Magento\SalesRule\Model
Class:	Validator
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:SalesRule_Validator config:set:SalesRule_Validator config:create:SalesRule_Validator config:execute:SalesRule_Validator

SalesRule_Coupon_Massgenerator

Namespace:	Magento\SalesRule\Model\Coupon
Class:	Massgenerator
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:SalesRule_Coupon_Massgenerator config:set:SalesRule_Coupon_Massgenerator config:create:SalesRule_Coupon_Massgenerator config:execute:SalesRule_Coupon_Massgenerator

SalesRule_Coupon

Namespace:	Magento\SalesRule\Model
Class:	Coupon
Used factory:	Magento\SalesRule\Model\CouponFactory
Used repository:	Magento\SalesRule\Model\CouponRepository
loadBy methods:	Code
Properties:	Code CouponId CreatedAt CustomAttributes ExpirationDate ExtensionAttributes IsPrimary RuleId TimesUsed Type UsageLimit UsagePerCustomer
Methods:	config:show:SalesRule_Coupon config:set:SalesRule_Coupon config:create:SalesRule_Coupon config:execute:SalesRule_Coupon

CatalogRule_Rule_Product_Price

Namespace:	Magento\CatalogRule\Model\Rule\Product
Class:	Price
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:CatalogRule_Rule_Product_Price config:set:CatalogRule_Rule_Product_Price config:create:CatalogRule_Rule_Product_Price config:execute:CatalogRule_Rule_Product_Price

CatalogRule_Flag

Namespace:	Magento\CatalogRule\Model
Class:	Flag
Used factory:	Magento\Framework\FlagFactory
Properties:	FlagData
Methods:	config:create:CatalogRule_Flag config:execute:CatalogRule_Flag

User_User

Namespace:	Magento\User\Model
Class:	User
Used factory:	Magento\Framework\DataObjectFactory
loadBy methods:	Username
Properties:	Created

	Email
	EntityId
	FirstName
	Id
	IdFieldName
	InterfaceLocale
	IsActive
	LastName
	Modified
	Password
	UserName
Methods:	config:show:User_User
	config:set:User_User
	config:create:User_User
	config:execute:User_User

Backend_Cache_ResourceModel_Grid_Collection

Namespace:	Magento\Backend\Model\Cache\ResourceModel_Grid
Class:	Collection
Used factory:	Magento\Framework\Data\CollectionFactory
Properties:	PageSize
Methods:	config:show:Backend_Cache_ResourceModel_Grid_Collection
	config:set:Backend_Cache_ResourceModel_Grid_Collection
	config:create:Backend_Cache_ResourceModel_Grid_Collection
	config:execute:Backend_Cache_ResourceModel_Grid_Collection

Backend_Url

Namespace:	Magento\Backend\Model
Class:	Url
Used factory:	Magento\Backend\Model\UrlFactory
Properties:	UseSession
Methods:	config:create:Backend_Url
	config:execute:Backend_Url

Backend_Search_Config

Namespace:	Magento\Backend\Model\Search
Class:	Config
Used factory:	Magento\Framework\DataObjectFactory
Properties:	Query
	Results
Methods:	config:create:Backend_Search_Config
	config:execute:Backend_Search_Config

CatalogSearch_ResourceModel_Fulltext_Collection

Namespace:	Magento\CatalogSearch\Model\ResourceModel\Fulltext
Class:	Collection
Used factory:	Magento\Catalog\Model\ResourceModel\Product\CollectionFactory
Properties:	FilterBuilder

	SearchCriteriaBuilder
Methods:	config:create:CatalogSearch_ResourceModel_Fulltext_Collection config:execute:CatalogSearch_ResourceModel_Fulltext_Collection

CatalogSearch_Advanced

Namespace:	Magento\CatalogSearch\Model
Class:	Advanced
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:CatalogSearch_Advanced config:set:CatalogSearch_Advanced config:create:CatalogSearch_Advanced config:execute:CatalogSearch_Advanced

CatalogSearch_Fulltext

Namespace:	Magento\CatalogSearch\Model
Class:	Fulltext
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:CatalogSearch_Fulltext config:set:CatalogSearch_Fulltext config:create:CatalogSearch_Fulltext config:execute:CatalogSearch_Fulltext

MysqlMq_Queue

Namespace:	Magento\MysqlMq\Model
Class:	Queue
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName Name
Methods:	config:show:MysqlMq_Queue config:set:MysqlMq_Queue config:create:MysqlMq_Queue config:execute:MysqlMq_Queue

MysqlMq_Message

Namespace:	Magento\MysqlMq\Model
Class:	Message
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:MysqlMq_Message

Methods:

- config:set:MySQLMq_Message
- config:create:MySQLMq_Message
- config:execute:MySQLMq_Message

MySQLMq_MessageStatus

Namespace: Magento\MySQLMq\Model
 Class: MessageStatus
 Used factory: Magento\Framework\DataObjectFactory
 Properties: EntityId
 Id
 IdFieldName
 Methods: config:show:MySQLMq_MessageStatus
 config:set:MySQLMq_MessageStatus
 config:create:MySQLMq_MessageStatus
 config:execute:MySQLMq_MessageStatus

Multishipping_Checkout_Type_Multishipping_State

Namespace: Magento\Multishipping\Model\Checkout\Type\Multishipping
 Class: State
 Used factory: Magento\Framework\DataObjectFactory
 Properties: ActiveStep
 Methods: config:create:Multishipping_Checkout_Type_Multishipping_State
 config:execute:Multishipping_Checkout_Type_Multishipping_State

Theme_Design

Namespace: Magento\Theme\Model
 Class: Design
 Used factory: Magento\Framework\DataObjectFactory
 Properties: EntityId
 Id
 IdFieldName
 Methods: config:show:Theme_Design
 config:set:Theme_Design
 config:create:Theme_Design
 config:execute:Theme_Design

Theme_ResourceModel_Design_Config_Scope_Collection

Namespace: Magento\Theme\Model\ResourceModel\Design\Config\Scope
 Class: Collection
 Used factory: Magento\Theme\Model\ResourceModel\Design\Config\Scope\CollectionFactory
 Properties: PageSize
 Methods: config:show:Theme_ResourceModel_Design_Config_Scope_Collection
 config:set:Theme_ResourceModel_Design_Config_Scope_Collection
 config:create:Theme_ResourceModel_Design_Config_Scope_Collection
 config:execute:Theme_ResourceModel_Design_Config_Scope_Collection

Theme_ResourceModel_Theme_Collection

Namespace:	Magento\Theme\Model\ResourceModel\Theme
Class:	Collection
Used factory:	Magento\Theme\Model\ResourceModel\Theme\CollectionFactory
Properties:	MainTable
Methods:	config:create:Theme_ResourceModel_Theme_Collection config:execute:Theme_ResourceModel_Theme_Collection

Theme_ResourceModel_Theme_Grid_Collection

Namespace:	Magento\Theme\Model\ResourceModel\Theme\Grid
Class:	Collection
Used factory:	Magento\Theme\Model\ResourceModel\Theme\CollectionFactory
Properties:	MainTable
Methods:	config:create:Theme_ResourceModel_Theme_Grid_Collection config:execute:Theme_ResourceModel_Theme_Grid_Collection

Theme_ResourceModel_Theme_File_Collection

Namespace:	Magento\Theme\Model\ResourceModel\Theme\File
Class:	Collection
Used factory:	Magento\Theme\Model\ResourceModel\Theme\File\CollectionFactory
Properties:	MainTable
Methods:	config:create:Theme_ResourceModel_Theme_File_Collection config:execute:Theme_ResourceModel_Theme_File_Collection

Theme_ResourceModel_Theme_Data_Collection

Namespace:	Magento\Theme\Model\ResourceModel\Theme\Data
Class:	Collection
Used factory:	Magento\Theme\Model\ResourceModel\Theme\Data\CollectionFactory
Properties:	MainTable
Methods:	config:create:Theme_ResourceModel_Theme_Data_Collection config:execute:Theme_ResourceModel_Theme_Data_Collection

Theme_Theme_File

Namespace:	Magento\Theme\Model\Theme
Class:	File
Used factory:	Magento\Framework\DataObjectFactory
Properties:	CustomizationService EntityId FileName Id IdFieldName Theme
Methods:	config:show:Theme_Theme_File config:set:Theme_Theme_File config:create:Theme_Theme_File config:execute:Theme_Theme_File

Theme_Theme

Namespace:	Magento\Theme\Model
Class:	Theme
Used factory:	Magento\Theme\Model\ThemeFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Theme_Theme config:set:Theme_Theme config:create:Theme_Theme config:execute:Theme_Theme

Theme_Data_Design_Config

Namespace:	Magento\Theme\Model\Data\Design
Class:	Config
Used factory:	Magento\Theme\Model\Data\Design\ConfigFactory
Properties:	CustomAttributes ExtensionAttributes Scope ScopId
Methods:	config:create:Theme_Data_Design_Config config:execute:Theme_Data_Design_Config

CurrencySymbol_System_Currencysymbol

Namespace:	Magento\CurrencySymbol\Model\System
Class:	Currencysymbol
Used factory:	Magento\CurrencySymbol\Model\System\CurrencysymbolFactory
Properties:	CurrencySymbolsData
Methods:	config:create:CurrencySymbol_System_Currencysymbol config:execute:CurrencySymbol_System_Currencysymbol

NewRelicReporting_Orders

Namespace:	Magento\NewRelicReporting\Model
Class:	Orders
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:NewRelicReporting_Orders config:set:NewRelicReporting_Orders config:create:NewRelicReporting_Orders config:execute:NewRelicReporting_Orders

NewRelicReporting_Counts

Namespace:	Magento\NewRelicReporting\Model
Class:	Counts

Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:NewRelicReporting_Counts config:set:NewRelicReporting_Counts config:create:NewRelicReporting_Counts config:execute:NewRelicReporting_Counts

NewRelicReporting_System

Namespace:	Magento\NewRelicReporting\Model
Class:	System
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:NewRelicReporting_System config:set:NewRelicReporting_System config:create:NewRelicReporting_System config:execute:NewRelicReporting_System

NewRelicReporting_Module

Namespace:	Magento\NewRelicReporting\Model
Class:	Module
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:NewRelicReporting_Module config:set:NewRelicReporting_Module config:create:NewRelicReporting_Module config:execute:NewRelicReporting_Module

NewRelicReporting_Users

Namespace:	Magento\NewRelicReporting\Model
Class:	Users
Used factory:	Magento\NewRelicReporting\Model\UsersFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:NewRelicReporting_Users config:set:NewRelicReporting_Users config:create:NewRelicReporting_Users config:execute:NewRelicReporting_Users

Security_ResourceModel_PasswordResetRequestEvent_Collection

Namespace:	Magento\Security\Model\ResourceModel>PasswordResetRequestEvent
Class:	Collection

Used factory:	Magento\Security\Model\ResourceModel>PasswordResetRequestEvent\CollectionFactory
Properties:	MainTable
Methods:	config:create:Security_ResourceModel_PasswordResetRequestEvent_Collection config:execute:Security_ResourceModel_PasswordResetRequestEvent_Collection

Security_PasswordResetRequestEvent

Namespace:	Magento\Security\Model
Class:	PasswordResetRequestEvent
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Security_PasswordResetRequestEvent config:set:Security_PasswordResetRequestEvent config:create:Security_PasswordResetRequestEvent config:execute:Security_PasswordResetRequestEvent

Security_AdminSessionInfo

Namespace:	Magento\Security\Model
Class:	AdminSessionInfo
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Security_AdminSessionInfo config:set:Security_AdminSessionInfo config:create:Security_AdminSessionInfo config:execute:Security_AdminSessionInfo

SendFriend_SendFriend

Namespace:	Magento\SendFriend\Model
Class:	SendFriend
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName Product Recipients Sender
Methods:	config:show:SendFriend_SendFriend config:set:SendFriend_SendFriend config:create:SendFriend_SendFriend config:execute:SendFriend_SendFriend

Rule_AbstractModel

Namespace:	Magento\Rule\Model
Class:	AbstractModel
Selectable by attribute	
Properties:	Actions

Methods:

- Conditions
- CustomAttributes
- config:show:Rule_AbstractModel
- config:set:Rule_AbstractModel
- config:create:Rule_AbstractModel
- config:execute:Rule_AbstractModel

Newsletter_Subscriber

Namespace: Magento\Newsletter\Model

Class: Subscriber

Used factory: Magento\Framework\DataObjectFactory

loadBy methods: Email

CustomerId

Properties: Code

Email

EntityId

Id

IdFieldName

Status

Methods: config:show:Newsletter_Subscriber

config:set:Newsletter_Subscriber

config:create:Newsletter_Subscriber

config:execute:Newsletter_Subscriber

Newsletter_Queue

Namespace: Magento\Newsletter\Model

Class: Queue

Used factory: Magento\Framework\DataObjectFactory

Properties: EntityId

Id

IdFieldName

SaveStoresFlag

Stores

Methods: config:show:Newsletter_Queue

config:set:Newsletter_Queue

config:create:Newsletter_Queue

config:execute:Newsletter_Queue

Newsletter_ResourceModel_Queue_Collection

Namespace: Magento\Newsletter\Model\ResourceModel\Queue

Class: Collection

Properties: MainTable

Methods: config:show:Newsletter_ResourceModel_Queue_Collection

config:set:Newsletter_ResourceModel_Queue_Collection

config:create:Newsletter_ResourceModel_Queue_Collection

config:execute:Newsletter_ResourceModel_Queue_Collection

Newsletter_ResourceModel_Queue_Grid_Collection

Namespace: Magento\Newsletter\Model\ResourceModel\Queue_Grid

Class:	Collection
Properties:	MainTable
Methods:	config:show:Newsletter_ResourceModel_Queue_Grid_Collection config:set:Newsletter_ResourceModel_Queue_Grid_Collection config:create:Newsletter_ResourceModel_Queue_Grid_Collection config:execute:Newsletter_ResourceModel_Queue_Grid_Collection

Newsletter_ResourceModel_Problem_Collection

Namespace:	Magento\Newsletter\Model\ResourceModel\Problem
Class:	Collection
Properties:	MainTable
Methods:	config:show:Newsletter_ResourceModel_Problem_Collection config:set:Newsletter_ResourceModel_Problem_Collection config:create:Newsletter_ResourceModel_Problem_Collection config:execute:Newsletter_ResourceModel_Problem_Collection

Newsletter_Problem

Namespace:	Magento\Newsletter\Model
Class:	Problem
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Newsletter_Problem config:set:Newsletter_Problem config:create:Newsletter_Problem config:execute:Newsletter_Problem

Shipping_ShipmentNotifier

Namespace:	Magento\Shipping\Model
Class:	ShipmentNotifier
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Shipping_ShipmentNotifier config:set:Shipping_ShipmentNotifier config:create:Shipping_ShipmentNotifier config:execute:Shipping_ShipmentNotifier

ProductVideo_Product_Attribute_Media_VideoEntry

Namespace:	Magento\ProductVideo\Model\Product\Attribute\Media
Class:	VideoEntry
Used factory:	Magento\Framework\Api\Data\VideoContentInterfaceFactory
Properties:	CustomAttributes ExtensionAttributes MediaType VideoDescription VideoMetadata i i

VideoProvider

VideoTitle

VideoUrl

Methods:

config:create:ProductVideo_Product_Attribute_Media_VideoEntry

config:execute:ProductVideo_Product_Attribute_Media_VideoEntry

CatalogImportExport_Import_Uploader

Namespace:

Magento\CatalogImportExport\Model\Import

Class:

Uploader

Used factory:

Magento\Framework\File\UploaderFactory

Properties:

DestDir

TmpDir

Methods:

config:create:CatalogImportExport_Import_Uploader

config:execute:CatalogImportExport_Import_Uploader

Checkout_Cart

Namespace:

Magento\Checkout\Model

Class:

Cart

Used factory:

Magento\Framework\DataObjectFactory

Properties:

Quote

Methods:

config:create:Checkout_Cart

config:execute:Checkout_Cart

Checkout_PaymentDetails

Namespace:

Magento\Checkout\Model

Class:

PaymentDetails

Selectable by attribute

Properties:

CustomAttributes

ExtensionAttributes

PaymentMethods

Totals

Methods:

config:show:Checkout_PaymentDetails

config:set:Checkout_PaymentDetails

config:create:Checkout_PaymentDetails

config:execute:Checkout_PaymentDetails

Config_ResourceModel_Config_Data_Collection

Namespace:

Magento\Config\Model\ResourceModel\Config\Data

Class:

Collection

Used factory:

Magento\Config\Model\ResourceModel\Config\Data\CollectionFactory

Properties:

MainTable

Methods:

config:create:Config_ResourceModel_Config_Data_Collection

config:execute:Config_ResourceModel_Config_Data_Collection

AsynchronousOperations_BulkSummary

Namespace:	Magento\AsynchronousOperations\Model
Class:	BulkSummary
Used factory:	Magento\Framework\DataObjectFactory
Properties:	BulkId Description ExtensionAttributes OperationCount StartTime UserId UserType
Methods:	config:create:AsynchronousOperations_BulkSummary config:execute:AsynchronousOperations_BulkSummary

AsynchronousOperations_Operation

Namespace:	Magento\AsynchronousOperations\Model
Class:	Operation
Used factory:	Magento\Framework\DataObjectFactory
Used repository:	Magento\AsynchronousOperations\Model\OperationRepository
Properties:	BulkUuid ErrorCode ExtensionAttributes Id ResultMessage ResultSerializedData SerializedData Status TopicName
Methods:	config:show:AsynchronousOperations_Operation config:set:AsynchronousOperations_Operation config:create:AsynchronousOperations_Operation config:execute:AsynchronousOperations_Operation

AsynchronousOperations_AsyncResponse

Namespace:	Magento\AsynchronousOperations\Model
Class:	AsyncResponse
Used factory:	Magento\Framework\DataObjectFactory
Properties:	BulkUuid ExtensionAttributes RequestItems
Methods:	config:create:AsynchronousOperations_AsyncResponse config:execute:AsynchronousOperations_AsyncResponse

AsynchronousOperations_ItemStatus

Namespace:	Magento\AsynchronousOperations\Model
Class:	ItemStatus
Used factory:	Magento\Framework\DataObjectFactory
Properties:	DataHash ErrorCode ErrorMessage Id Status
Methods:	config:create:AsynchronousOperations_ItemStatus config:execute:AsynchronousOperations_ItemStatus

AsynchronousOperations_BulkStatus_Short

Namespace:	Magento\AsynchronousOperations\Model\BulkStatus
Class:	Short
Used factory:	Magento\Framework\DataObjectFactory
Properties:	BulkId Description ExtensionAttributes OperationCount OperationsList StartTime UserId UserType
Methods:	config:create:AsynchronousOperations_BulkStatus_Short config:execute:AsynchronousOperations_BulkStatus_Short

AsynchronousOperations_BulkStatus_Detailed

Namespace:	Magento\AsynchronousOperations\Model\BulkStatus
Class:	Detailed
Used factory:	Magento\Framework\DataObjectFactory
Properties:	BulkId Description ExtensionAttributes OperationCount OperationsList StartTime UserId UserType
Methods:	config:create:AsynchronousOperations_BulkStatus_Detailed config:execute:AsynchronousOperations_BulkStatus_Detailed

Reports_ResourceModel_Review_Collection

Namespace:	Magento\Reports\Model\ResourceModel\Review
Class:	Collection
Properties:	MainTable
Methods:	config:show:Reports_ResourceModel_Review_Collection config:set:Reports_ResourceModel_Review_Collection config:create:Reports_ResourceModel_Review_Collection config:execute:Reports_ResourceModel_Review_Collection

Reports_ResourceModel_Review_Customer_Collection

Namespace:	Magento\Reports\Model\ResourceModel\Review\Customer
Class:	Collection
Properties:	MainTable
Methods:	config:show:Reports_ResourceModel_Review_Customer_Collection config:set:Reports_ResourceModel_Review_Customer_Collection config:create:Reports_ResourceModel_Review_Customer_Collection config:execute:Reports_ResourceModel_Review_Customer_Collection

Reports_ResourceModel_Product_Collection

Namespace:	Magento\Reports\Model\ResourceModel\Product
Class:	Collection
Used factory:	Magento\Catalog\Model\ResourceModel\Product\CollectionFactory
Properties:	ProductAttributeSetId ProductEntityId ProductEntityTableName
Methods:	config:create:Reports_ResourceModel_Product_Collection config:execute:Reports_ResourceModel_Product_Collection

Reports_ResourceModel_Product_Lowstock_Collection

Namespace:	Magento\Reports\Model\ResourceModel\Product\Lowstock
Class:	Collection
Used factory:	Magento\Catalog\Model\ResourceModel\Product\CollectionFactory
Properties:	ProductAttributeSetId ProductEntityId ProductEntityTableName
Methods:	config:create:Reports_ResourceModel_Product_Lowstock_Collection config:execute:Reports_ResourceModel_Product_Lowstock_Collection

Reports_ResourceModel_Order_Collection

Namespace:	Magento\Reports\Model\ResourceModel\Order
Class:	Collection
Used factory:	Magento\Sales\Model\ResourceModel\Order\CollectionFactory
Properties:	Items SearchCriteria TotalCount
Methods:	config:create:Reports_ResourceModel_Order_Collection config:execute:Reports_ResourceModel_Order_Collection

Reports_ResourceModel_Customer_Collection

Namespace:	Magento\Reports\Model\ResourceModel\Customer
Class:	Collection
Used factory:	Magento\Framework\Data\CollectionFactory
Properties:	Connection Entity ItemObjectClass PageSize RowIdFieldName
Methods:	config:show:Reports_ResourceModel_Customer_Collection config:set:Reports_ResourceModel_Customer_Collection config:create:Reports_ResourceModel_Customer_Collection config:execute:Reports_ResourceModel_Customer_Collection

Reports_ResourceModel_Customer_Orders_Collection

Namespace:	Magento\Reports\Model\ResourceModel\Customer\Orders
Class:	Collection
Used factory:	Magento\Sales\Model\ResourceModel\Order\CollectionFactory
Properties:	Items SearchCriteria TotalCount
Methods:	config:create:Reports_ResourceModel_Customer_Orders_Collection config:execute:Reports_ResourceModel_Customer_Orders_Collection

Reports_ResourceModel_Customer_Totals_Collection

Namespace:	Magento\Reports\Model\ResourceModel\Customer\Totals
Class:	Collection
Used factory:	Magento\Sales\Model\ResourceModel\Order\CollectionFactory
Properties:	Items SearchCriteria TotalCount
Methods:	config:create:Reports_ResourceModel_Customer_Totals_Collection config:execute:Reports_ResourceModel_Customer_Totals_Collection

Reports_ResourceModel_Refresh_Collection

Namespace:	Magento\Reports\Model\ResourceModel\Refresh
Class:	Collection
Used factory:	Magento\Framework\Data\CollectionFactory
Properties:	PageSize
Methods:	config:show:Reports_ResourceModel_Refresh_Collection config:set:Reports_ResourceModel_Refresh_Collection config:create:Reports_ResourceModel_Refresh_Collection config:execute:Reports_ResourceModel_Refresh_Collection

Reports_ResourceModel_Report_Collection

Namespace:	Magento\Reports\Model\ResourceModel\Report
Class:	Collection
Used factory:	Magento\Framework\Data\CollectionFactory
Properties:	PageSize StoreIds
Methods:	config:show:Reports_ResourceModel_Report_Collection config:set:Reports_ResourceModel_Report_Collection config:create:Reports_ResourceModel_Report_Collection config:execute:Reports_ResourceModel_Report_Collection

Reports_Product_Index_AbstractIndex

Namespace:	Magento\Reports\Model\Product\Index
Class:	AbstractIndex
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Reports_Product_Index_AbstractIndex config:set:Reports_Product_Index_AbstractIndex


```
config:create:Reports_Product_Index_AbstractIndex
config:execute:Reports_Product_Index_AbstractIndex
```

Reports_Product_Index_Compared

Namespace: Magento\Reports\Model\Product\Index
 Class: Compared
 Used factory: Magento\Framework\DataObjectFactory
 Properties: EntityId
 Id
 IdFieldName
 Methods: config:show:Reports_Product_Index_Compared
 config:set:Reports_Product_Index_Compared
 config:create:Reports_Product_Index_Compared
 config:execute:Reports_Product_Index_Compared

Reports_Product_Index_Viewed

Namespace: Magento\Reports\Model\Product\Index
 Class: Viewed
 Used factory: Magento\Framework\DataObjectFactory
 Properties: EntityId
 Id
 IdFieldName
 Methods: config:show:Reports_Product_Index_Viewed
 config:set:Reports_Product_Index_Viewed
 config:create:Reports_Product_Index_Viewed
 config:execute:Reports_Product_Index_Viewed

Reports_Event_Type

Namespace: Magento\Reports\Model\Event
 Class: Type
 Used factory: Magento\Framework\DataObjectFactory
 Properties: EntityId
 Id
 IdFieldName
 Methods: config:show:Reports_Event_Type
 config:set:Reports_Event_Type
 config:create:Reports_Event_Type
 config:execute:Reports_Event_Type

Reports_Grouped_Collection

Namespace: Magento\Reports\Model\Grouped
 Class: Collection
 Used factory: Magento\Framework\Data\CollectionFactory
 Properties: PageSize
 Methods: config:show:Reports_Grouped_Collection
 config:set:Reports_Grouped_Collection
 config:create:Reports_Grouped_Collection
 config:execute:Reports_Grouped_Collection

Reports_Event

Namespace:	Magento\Reports\Model
Class:	Event
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Reports_Event config:set:Reports_Event config:create:Reports_Event config:execute:Reports_Event

Reports_Item

Namespace:	Magento\Reports\Model
Class:	Item
Used factory:	Magento\Framework\DataObjectFactory
Properties:	Children IsEmpty
Methods:	config:create:Reports_Item config:execute:Reports_Item

Reports_Flag

Namespace:	Magento\Reports\Model
Class:	Flag
Used factory:	Magento\Framework\FlagFactory
Properties:	FlagData
Methods:	config:create:Reports_Flag config:execute:Reports_Flag

Indexer_ResourceModel_Indexer_State_Collection

Namespace:	Magento\Indexer\Model\ResourceModel\Indexer\State
Class:	Collection
Used factory:	Magento\Indexer\Model\ResourceModel\Indexer\State\CollectionFactory
Properties:	MainTable
Methods:	config:create:Indexer_ResourceModel_Indexer_State_Collection config:execute:Indexer_ResourceModel_Indexer_State_Collection

Indexer_Mview_View_State

Namespace:	Magento\Indexer\Model\Mview\View
Class:	State
Used factory:	Magento\Framework\DataObjectFactory
loadBy methods:	View
Properties:	EntityId Id IdFieldName

Mode
 Status
 Updated
 VersionId
 Methods:
 config:show:Indexer_Mview_View_State
 config:set:Indexer_Mview_View_State
 config:create:Indexer_Mview_View_State
 config:execute:Indexer_Mview_View_State

Indexer_Indexer

Namespace: Magento\Indexer\Model
 Class: Indexer
 Used factory: Magento\Framework\Indexer\IndexerInterfaceFactory
 Properties:
 Id
 IdFieldName
 State
 Methods:
 config:show:Indexer_Indexer
 config:set:Indexer_Indexer
 config:create:Indexer_Indexer
 config:execute:Indexer_Indexer

Indexer_Indexer_Collection

Namespace: Magento\Indexer\Model\Indexer
 Class: Collection
 Used factory: Magento\Indexer\Model\Indexer\CollectionFactory
 Properties:
 PageSize
 Methods:
 config:show:Indexer_Indexer_Collection
 config:set:Indexer_Indexer_Collection
 config:create:Indexer_Indexer_Collection
 config:execute:Indexer_Indexer_Collection

Indexer_Indexer_State

Namespace: Magento\Indexer\Model\Indexer
 Class: State
 Used factory: Magento\Indexer\Model\Indexer\StateFactory
 loadBy methods: Indexer
 Properties:
 EntityId
 Id
 IdFieldName
 IndexerId
 Status
 Updated
 Methods:
 config:show:Indexer_Indexer_State
 config:set:Indexer_Indexer_State
 config:create:Indexer_Indexer_State
 config:execute:Indexer_Indexer_State

Indexer_Indexer_DependencyDecorator

Namespace: Magento\Indexer\Model\Indexer

Class:	DependencyDecorator
Used factory:	Magento\Framework\Indexer\IndexerInterfaceFactory
Properties:	State
Methods:	config:show:Indexer_Indexer_DependencyDecorator config:set:Indexer_Indexer_DependencyDecorator config:create:Indexer_Indexer_DependencyDecorator config:execute:Indexer_Indexer_DependencyDecorator

GoogleOptimizer_Code

Namespace:	Magento\GoogleOptimizer\Model
Class:	Code
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:GoogleOptimizer_Code config:set:GoogleOptimizer_Code config:create:GoogleOptimizer_Code config:execute:GoogleOptimizer_Code

ProductAlert_Price

Namespace:	Magento\ProductAlert\Model
Class:	Price
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:ProductAlert_Price config:set:ProductAlert_Price config:create:ProductAlert_Price config:execute:ProductAlert_Price

ProductAlert_ResourceModel_Price_Customer_Collection

Namespace:	Magento\ProductAlert\Model\ResourceModel\Price\Customer
Class:	Collection
Used factory:	Magento\Framework\Data\CollectionFactory
Properties:	Connection Entity ItemObjectClass PageSize RowIdFieldName
Methods:	config:show:ProductAlert_ResourceModel_Price_Customer_Collection config:set:ProductAlert_ResourceModel_Price_Customer_Collection config:create:ProductAlert_ResourceModel_Price_Customer_Collection config:execute:ProductAlert_ResourceModel_Price_Customer_Collection

ProductAlert_ResourceModel_Stock_Customer_Collection

Namespace:	Magento\ProductAlert\Model\ResourceModel\Stock\Customer
	i

Class:	Collection
Used factory:	Magento\Framework\Data\CollectionFactory
Properties:	Connection Entity ItemObjectClass PageSize RowIdFieldName
Methods:	config:show:ProductAlert_ResourceModel_Stock_Customer_Collection config:set:ProductAlert_ResourceModel_Stock_Customer_Collection config:create:ProductAlert_ResourceModel_Stock_Customer_Collection config:execute:ProductAlert_ResourceModel_Stock_Customer_Collection

ProductAlert_Email

Namespace:	Magento\ProductAlert\Model
Class:	Email
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName Type
Methods:	config:show:ProductAlert_Email config:set:ProductAlert_Email config:create:ProductAlert_Email config:execute:ProductAlert_Email

ProductAlert_Stock

Namespace:	Magento\ProductAlert\Model
Class:	Stock
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:ProductAlert_Stock config:set:ProductAlert_Stock config:create:ProductAlert_Stock config:execute:ProductAlert_Stock

Search_SynonymGroup

Namespace:	Magento\Search\Model
Class:	SynonymGroup
Used factory:	Magento\Framework\DataObjectFactory
Used repository:	Magento\Search\Model\SynonymGroupRepository
Properties:	EntityId GroupId Id IdFieldName StoreId SynonymGroup WebsiteId
Methods:	config:show:Search_SynonymGroup config:set:Search_SynonymGroup config:create:Search_SynonymGroup config:execute:Search_SynonymGroup

Search_SynonymReader

Namespace:	Magento\Search\Model
Class:	SynonymReader
Used factory:	Magento\Framework\DataObjectFactory
loadBy methods:	Phrase
Properties:	EntityId Id IdFieldName
Methods:	config:show:Search_SynonymReader config:set:Search_SynonymReader config:create:Search_SynonymReader config:execute:Search_SynonymReader

Search_Query

Namespace:	Magento\Search\Model
Class:	Query
Used factory:	Magento\Search\Model\QueryFactory
loadBy methods:	Query
Properties:	QueryText EntityId Id IdFieldName StoreId
Methods:	config:show:Search_Query config:set:Search_Query config:create:Search_Query config:execute:Search_Query

Variable_Variable

Namespace:	Magento\Variable\Model
Class:	Variable
Used factory:	Magento\Variable\Model\VariableFactory
loadBy methods:	Code
Properties:	EntityId Id IdFieldName StoreId
Methods:	config:show:Variable_Variable config:set:Variable_Variable config:create:Variable_Variable config:execute:Variable_Variable

Translation_StringUtils

Namespace:	Magento\Translation\Model
Class:	StringUtils
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName

String

Methods:

- config:show:Translation_StringUtils
- config:set:Translation_StringUtils
- config:create:Translation_StringUtils
- config:execute:Translation_StringUtils

Downloadable_DownloadableOption

Namespace: Magento\Downloadable\Model

Class: DownloadableOption

Used factory: Magento\Downloadable\Model\DownloadableOptionFactory

Properties:

- CustomAttributes
- DownloadableLinks
- ExtensionAttributes

Methods:

- config:create:Downloadable_DownloadableOption
- config:execute:Downloadable_DownloadableOption

Downloadable_ResourceModel_Link_Collection

Namespace: Magento\Downloadable\Model\ResourceModel\Link

Class: Collection

Used factory: Magento\Downloadable\Model\ResourceModel\Link\CollectionFactory

Properties:

- MainTable

Methods:

- config:create:Downloadable_ResourceModel_Link_Collection
- config:execute:Downloadable_ResourceModel_Link_Collection

Downloadable_ResourceModel_Sample_Collection

Namespace: Magento\Downloadable\Model\ResourceModel\Sample

Class: Collection

Used factory: Magento\Downloadable\Model\ResourceModel\Sample\CollectionFactory

Properties:

- MainTable

Methods:

- config:create:Downloadable_ResourceModel_Sample_Collection
- config:execute:Downloadable_ResourceModel_Sample_Collection

Downloadable_Link_Purchased

Namespace: Magento\Downloadable\Model\Link

Class: Purchased

Used factory: Magento\Framework\DataObjectFactory

Properties:

- EntityId
- Id
- IdFieldName

Methods:

- config:show:Downloadable_Link_Purchased
- config:set:Downloadable_Link_Purchased
- config:create:Downloadable_Link_Purchased
- config:execute:Downloadable_Link_Purchased

Downloadable_Link_Purchased_Item

Namespace:	Magento\Downloadable\Model\Link\Purchased
Class:	Item
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Downloadable_Link_Purchased_Item config:set:Downloadable_Link_Purchased_Item config:create:Downloadable_Link_Purchased_Item config:execute:Downloadable_Link_Purchased_Item

Downloadable_Sales_Order_Pdf_Items_AbstractItems

Namespace:	Magento\Downloadable\Model\Sales\Order\Pdf\Items
Class:	AbstractItems
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName Item Order Page Pdf Source
Methods:	config:show:Downloadable_Sales_Order_Pdf_Items_AbstractItems config:set:Downloadable_Sales_Order_Pdf_Items_AbstractItems config:create:Downloadable_Sales_Order_Pdf_Items_AbstractItems config:execute:Downloadable_Sales_Order_Pdf_Items_AbstractItems

Downloadable_File_Content

Namespace:	Magento\Downloadable\Model\File
Class:	Content
Selectable by attribute	
Properties:	CustomAttributes ExtensionAttributes FileData Name
Methods:	config:show:Downloadable_File_Content config:set:Downloadable_File_Content config:create:Downloadable_File_Content config:execute:Downloadable_File_Content

Downloadable_Link

Namespace:	Magento\Downloadable\Model
Class:	Link
Used factory:	Magento\Downloadable\Model\LinkFactory
Selectable by attribute	
Used repository:	Magento\Downloadable\Model\LinkRepository
Properties:	CustomAttributes ExtensionAttributes Id IsShareable LinkFile LinkFileContent

	LinkType
	LinkUrl
	NumberOfDownloads
	Price
	ProductId
	SampleFile
	SampleFileContent
	SampleType
	SampleUrl
	SortOrder
	Title
Methods:	config:show:Downloadable_Link
	config:set:Downloadable_Link
	config:create:Downloadable_Link
	config:execute:Downloadable_Link

Downloadable_Sample

Namespace:	Magento\Downloadable\Model
Class:	Sample
Used factory:	Magento\Downloadable\Model\SampleFactory
Selectable by attribute	
Used repository:	Magento\Downloadable\Model\SampleRepository
Properties:	CustomAttributes
	ExtensionAttributes
	Id
	SampleFile
	SampleFileContent
	SampleType
	SampleUrl
	SortOrder
	Title
Methods:	config:show:Downloadable_Sample
	config:set:Downloadable_Sample
	config:create:Downloadable_Sample
	config:execute:Downloadable_Sample

Email_AbstractTemplate

Namespace:	Magento>Email\Model
Class:	AbstractTemplate
Used factory:	Magento\Framework\DataObjectFactory
loadBy methods:	ConfigPath
Properties:	DesignConfig
	EntityId
	Id
	IdFieldName
	TemplateFilter
Methods:	config:show:Email_AbstractTemplate
	config:set:Email_AbstractTemplate
	config:create:Email_AbstractTemplate
	config:execute:Email_AbstractTemplate

UrlRewrite_UrlRewrite

Namespace:	Magento\UrlRewrite\Model
------------	--------------------------

Class:	UrlRewrite
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName Metadata
Methods:	config:show:UrlRewrite_UrlRewrite config:set:UrlRewrite_UrlRewrite config:create:UrlRewrite_UrlRewrite config:execute:UrlRewrite_UrlRewrite

Signifyd_CaseEntity

Namespace:	Magento\Signifyd\Model
Class:	CaseEntity
Used factory:	Magento\Framework\DataObjectFactory
Properties:	AssociatedTeam CaseId CreatedAt EntityId GuaranteeDisposition Id IdFieldName OrderId ReviewDisposition Score Status UpdatedAt
Methods:	config:show:Signifyd_CaseEntity config:set:Signifyd_CaseEntity config:create:Signifyd_CaseEntity config:execute:Signifyd_CaseEntity

ImportExport_History

Namespace:	Magento\ImportExport\Model
Class:	History
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId ErrorFile ExecutionTime Id IdFieldName ImportedFile StartedAt Summary UserId
Methods:	config:show:ImportExport_History config:set:ImportExport_History config:create:ImportExport_History config:execute:ImportExport_History

Authorizenet_Source_Cctype

Namespace:	Magento\Authorizenet\Model\Source
Class:	Cctype

Used factory:	Magento\Payment\Model\Source\CctypeFactory
Properties:	AllowedTypes
Methods:	config:create:Authorizenet_Source_Cctype config:execute:Authorizenet_Source_Cctype

Authorizenet_Debug

Namespace:	Magento\Authorizenet\Model
Class:	Debug
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Authorizenet_Debug config:set:Authorizenet_Debug config:create:Authorizenet_Debug config:execute:Authorizenet_Debug

Authorizenet_Directpost

Namespace:	Magento\Authorizenet\Model
Class:	Directpost
Used factory:	Magento\Payment\Model\Method\ConfigInterfaceFactory
Properties:	CustomAttributes InfoInstance Store
Methods:	config:create:Authorizenet_Directpost config:execute:Authorizenet_Directpost

Paypal_Report_Settlement_Row

Namespace:	Magento\Paypal\Model\Report\Settlement
Class:	Row
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Paypal_Report_Settlement_Row config:set:Paypal_Report_Settlement_Row config:create:Paypal_Report_Settlement_Row config:execute:Paypal_Report_Settlement_Row

Paypal_Report_Settlement

Namespace:	Magento\Paypal\Model\Report
Class:	Settlement
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Paypal_Report_Settlement config:set:Paypal_Report_Settlement config:create:Paypal_Report_Settlement

config:execute:Paypal_Report_Settlement

Paypal_AbstractConfig

Namespace: Magento\Paypal\Model
 Class: AbstractConfig
 Used factory: Magento\Payment\Model\Method\ConfigInterfaceFactory
 Properties: MethodCode
 Methods: config:create:Paypal_AbstractConfig
 config:execute:Paypal_AbstractConfig

Paypal_Billing_AbstractAgreement

Namespace: Magento\Paypal\Model\Billing
 Class: AbstractAgreement
 Used factory: Magento\Framework\DataObjectFactory
 Properties: EntityId
 Id
 IdFieldName
 Methods: config:show:Paypal_Billing_AbstractAgreement
 config:set:Paypal_Billing_AbstractAgreement
 config:create:Paypal_Billing_AbstractAgreement
 config:execute:Paypal_Billing_AbstractAgreement

Paypal_Cert

Namespace: Magento\Paypal\Model
 Class: Cert
 Used factory: Magento\Paypal\Model\CertFactory
 Properties: EntityId
 Id
 IdFieldName
 Methods: config:show:Paypal_Cert
 config:set:Paypal_Cert
 config:create:Paypal_Cert
 config:execute:Paypal_Cert

Paypal_Config

Namespace: Magento\Paypal\Model
 Class: Config
 Used factory: Magento\Paypal\Model\ConfigFactory
 Properties: MethodCode
 Methods: config:create:Paypal_Config
 config:execute:Paypal_Config

Catalog_Design

Namespace: Magento\Catalog\Model
 Class: Design

Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Catalog_Design config:set:Catalog_Design config:create:Catalog_Design config:execute:Catalog_Design

Catalog_AbstractModel

Namespace:	Magento\Catalog\Model
Class:	AbstractModel
Selectable by attribute	
Properties:	CustomAttributes
Methods:	config:show:Catalog_AbstractModel config:set:Catalog_AbstractModel config:create:Catalog_AbstractModel config:execute:Catalog_AbstractModel

Catalog_ResourceModel_Category_Collection

Namespace:	Magento\Catalog\Model\ResourceModel\Category
Class:	Collection
Used factory:	Magento\Catalog\Model\ResourceModel\Category\CollectionFactory
Properties:	ProductStoreId
Methods:	config:show:Catalog_ResourceModel_Category_Collection config:set:Catalog_ResourceModel_Category_Collection config:create:Catalog_ResourceModel_Category_Collection config:execute:Catalog_ResourceModel_Category_Collection

Catalog_ResourceModel_Category_Attribute_Collection

Namespace:	Magento\Catalog\Model\ResourceModel\Category\Attribute
Class:	Collection
Used factory:	Magento\Eav\Model\ResourceModel\Entity\Attribute\CollectionFactory
Properties:	MainTable
Methods:	config:create:Catalog_ResourceModel_Category_Attribute_Collection config:execute:Catalog_ResourceModel_Category_Attribute_Collection

Catalog_ResourceModel_Category_Tree

Namespace:	Magento\Catalog\Model\ResourceModel\Category
Class:	Tree
Used factory:	Magento\Catalog\Model\ResourceModel\Category\TreeFactory
Properties:	DbSelect StoreId
Methods:	config:show:Catalog_ResourceModel_Category_Tree config:set:Catalog_ResourceModel_Category_Tree config:create:Catalog_ResourceModel_Category_Tree config:execute:Catalog_ResourceModel_Category_Tree

Catalog_ResourceModel_Eav_Attribute

Namespace:	Magento\Catalog\Model\ResourceModel\Eav
Class:	Attribute
Used factory:	Magento\Catalog\Model\ResourceModel\Eav\AttributeFactory
Properties:	ApplyTo IsComparable IsFilterable IsFilterableInGrid IsFilterableInSearch IsHtmlAllowedOnFront IsSearchable IsUsedForPromoRules IsUsedInGrid IsVisible IsVisibleInAdvancedSearch IsVisibleInGrid IsVisibleOnFront IsWysiwygEnabled Position Scope UsedForSortBy UsedInProductListing
Methods:	config:create:Catalog_ResourceModel_Eav_Attribute config:execute:Catalog_ResourceModel_Eav_Attribute

Catalog_ResourceModel_Product_Link_Product_Collection

Namespace:	Magento\Catalog\Model\ResourceModel\Product\Link\Product
Class:	Collection
Used factory:	Magento\Catalog\Model\ResourceModel\Product\Link\Product\CollectionFactory
Properties:	LinkModel Product
Methods:	config:create:Catalog_ResourceModel_Product_Link_Product_Collection config:execute:Catalog_ResourceModel_Product_Link_Product_Collection

Catalog_ResourceModel_Product_Link_Collection

Namespace:	Magento\Catalog\Model\ResourceModel\Product\Link
Class:	Collection
Used factory:	Magento\Catalog\Model\ResourceModel\Product\Link\CollectionFactory
Properties:	LinkModel MainTable Product
Methods:	config:create:Catalog_ResourceModel_Product_Link_Collection config:execute:Catalog_ResourceModel_Product_Link_Collection

Catalog_ResourceModel_Product_Attribute_Collection

Namespace:	Magento\Catalog\Model\ResourceModel\Product\Attribute
Class:	Collection
Used factory:	Magento\Catalog\Model\ResourceModel\Product\Attribute\CollectionFactory
Properties:	MainTable

methods.

```
config:create:Catalog_ResourceModel_Product_Attribute_Collection
config:execute:Catalog_ResourceModel_Product_Attribute_Collection
```

Catalog_ResourceModel_Product_Compare_Item_Collection

Namespace: Magento\Catalog\Model\ResourceModel\Product\Compare\Item
 Class: Collection
 Used factory: Magento\Catalog\Model\ResourceModel\Product\Compare\Item\CollectionFactory
 Properties: CustomerId
 VisitorId
 Methods: config:show:Catalog_ResourceModel_Product_Compare_Item_Collection
 config:set:Catalog_ResourceModel_Product_Compare_Item_Collection
 config:create:Catalog_ResourceModel_Product_Compare_Item_Collection
 config:execute:Catalog_ResourceModel_Product_Compare_Item_Collection

Catalog_ResourceModel_Product_Option_Collection

Namespace: Magento\Catalog\Model\ResourceModel\Product\Option
 Class: Collection
 Used factory: Magento\Catalog\Model\ResourceModel\Product\Option\CollectionFactory
 Properties: MainTable
 Methods: config:create:Catalog_ResourceModel_Product_Option_Collection
 config:execute:Catalog_ResourceModel_Product_Option_Collection

Catalog_ResourceModel_Product_Option_Value_Collection

Namespace: Magento\Catalog\Model\ResourceModel\Product\Option\Value
 Class: Collection
 Used factory: Magento\Catalog\Model\ResourceModel\Product\Option\Value\CollectionFactory
 Properties: MainTable
 Methods: config:create:Catalog_ResourceModel_Product_Option_Value_Collection
 config:execute:Catalog_ResourceModel_Product_Option_Value_Collection

Catalog_ResourceModel_Category

Namespace: Magento\Catalog\Model\ResourceModel
 Class: Category
 Used factory: Magento\Catalog\Model\ResourceModel\CategoryFactory
 Properties: StoreId
 Methods: config:create:Catalog_ResourceModel_Category
 config:execute:Catalog_ResourceModel_Category

Catalog_ResourceModel_Config

Namespace: Magento\Catalog\Model\ResourceModel
 Class: Config
 Used factory: Magento\Catalog\Model\ResourceModel\ConfigFactory
 Properties: StoreId
 Methods: config:create:Catalog_ResourceModel_Config
 config:execute:Catalog_ResourceModel_Config

Catalog_ResourceModel_Collection_AbstractCollection

Namespace:	Magento\Catalog\Model\ResourceModel\Collection
Class:	AbstractCollection
Used factory:	Magento\Framework\Data\CollectionFactory
Properties:	Connection Entity ItemObjectClass PageSize RowIdFieldName StoreId
Methods:	config:show:Catalog_ResourceModel_Collection_AbstractCollection config:set:Catalog_ResourceModel_Collection_AbstractCollection config:create:Catalog_ResourceModel_Collection_AbstractCollection config:execute:Catalog_ResourceModel_Collection_AbstractCollection

Catalog_CategoryLink

Namespace:	Magento\Catalog\Model
Class:	CategoryLink
Used factory:	Magento\Catalog\Api\Data\CategoryLinkInterfaceFactory
Used repository:	Magento\Catalog\Model\CategoryLinkRepository
Properties:	CategoryId CustomAttributes ExtensionAttributes Position
Methods:	config:show:Catalog_CategoryLink config:set:Catalog_CategoryLink config:create:Catalog_CategoryLink config:execute:Catalog_CategoryLink

Catalog_Product_Price_TierPrice

Namespace:	Magento\Catalog\Model\Product\Price
Class:	TierPrice
Used factory:	Magento\Catalog\Model\Product\Price\TierPriceFactory
Selectable by attribute	
Properties:	CustomAttributes CustomerGroup ExtensionAttributes Price PriceType Quantity Sku WebsiteId
Methods:	config:show:Catalog_Product_Price_TierPrice config:set:Catalog_Product_Price_TierPrice config:create:Catalog_Product_Price_TierPrice config:execute:Catalog_Product_Price_TierPrice

Catalog_Product_Price_PriceUpdateResult

Namespace:	Magento\Catalog\Model\Product\Price
------------	-------------------------------------

Class:	PriceUpdateResult
Selectable by attribute	
Properties:	CustomAttributes ExtensionAttributes Message Parameters
Methods:	config:show:Catalog_Product_Price_PriceUpdateResult config:set:Catalog_Product_Price_PriceUpdateResult config:create:Catalog_Product_Price_PriceUpdateResult config:execute:Catalog_Product_Price_PriceUpdateResult

Catalog_Product_Price_SpecialPrice

Namespace:	Magento\Catalog\Model\Product\Price
Class:	SpecialPrice
Selectable by attribute	
Properties:	CustomAttributes ExtensionAttributes Price PriceFrom PriceTo Sku StoreId
Methods:	config:show:Catalog_Product_Price_SpecialPrice config:set:Catalog_Product_Price_SpecialPrice config:create:Catalog_Product_Price_SpecialPrice config:execute:Catalog_Product_Price_SpecialPrice

Catalog_Product_Price_Cost

Namespace:	Magento\Catalog\Model\Product\Price
Class:	Cost
Selectable by attribute	
Properties:	Cost CustomAttributes ExtensionAttributes Sku StoreId
Methods:	config:show:Catalog_Product_Price_Cost config:set:Catalog_Product_Price_Cost config:create:Catalog_Product_Price_Cost config:execute:Catalog_Product_Price_Cost

Catalog_Product_Price_BasePrice

Namespace:	Magento\Catalog\Model\Product\Price
Class:	BasePrice
Selectable by attribute	
Properties:	CustomAttributes ExtensionAttributes Price Sku StoreId
Methods:	config:show:Catalog_Product_Price_BasePrice config:set:Catalog_Product_Price_BasePrice config:create:Catalog_Product_Price_BasePrice

config:execute:Catalog_Product_Price_BasePrice

Catalog_Product_Action

Namespace: Magento\Catalog\Model\Product
 Class: Action
 Used factory: Magento\Framework\DataObjectFactory
 Properties: EntityId
 Id
 IdFieldName
 Methods: config:show:Catalog_Product_Action
 config:set:Catalog_Product_Action
 config:create:Catalog_Product_Action
 config:execute:Catalog_Product_Action

Catalog_Product_TierPrice

Namespace: Magento\Catalog\Model\Product
 Class: TierPrice
 Used factory: Magento\Catalog\Api\Data\ProductTierPriceInterfaceFactory
 Selectable by attribute
 Properties: CustomAttributes
 CustomerGroupId
 ExtensionAttributes
 Qty
 Value
 Methods: config:show:Catalog_Product_TierPrice
 config:set:Catalog_Product_TierPrice
 config:create:Catalog_Product_TierPrice
 config:execute:Catalog_Product_TierPrice

Catalog_Product_Option

Namespace: Magento\Catalog\Model\Product
 Class: Option
 Used factory: Magento\Catalog\Model\Product\OptionFactory
 Used repository: Magento\Catalog\Api\ProductCustomOptionRepositoryInterface
 Properties: CustomAttributes
 ExtensionAttributes
 FileExtension
 ImageSizeX
 ImageSizeY
 IsRequire
 MaxCharacters
 OptionId
 Options
 Price
 PriceType
 Product
 ProductSku
 Sku
 SortOrder
 Title
 Type
 Values
 Methods: config:show:Catalog_Product_Option

```
config:set:Catalog_Product_Option
config:create:Catalog_Product_Option
config:execute:Catalog_Product_Option
```

Catalog_Product_Attribute_Group

Namespace: Magento\Catalog\Model\Product\Attribute
 Class: Group
 Used factory: Magento\Eav\Model\Entity\Attribute\GroupFactory
 Properties: AttributeGroupId
 AttributeGroupName
 AttributeSetId
 CustomAttributes
 ExtensionAttributes
 Methods: config:create:Catalog_Product_Attribute_Group
 config:execute:Catalog_Product_Attribute_Group

Catalog_Product_Attribute_Type

Namespace: Magento\Catalog\Model\Product\Attribute
 Class: Type
 Selectable by attribute
 Properties: CustomAttributes
 ExtensionAttributes
 Label
 Value
 Methods: config:show:Catalog_Product_Attribute_Type
 config:set:Catalog_Product_Attribute_Type
 config:create:Catalog_Product_Attribute_Type
 config:execute:Catalog_Product_Attribute_Type

Catalog_Product_Link

Namespace: Magento\Catalog\Model\Product
 Class: Link
 Used factory: Magento\Catalog\Model\Product\LinkFactory
 Properties: EntityId
 Id
 IdFieldName
 Methods: config:show:Catalog_Product_Link
 config:set:Catalog_Product_Link
 config:create:Catalog_Product_Link
 config:execute:Catalog_Product_Link

Catalog_Product_Visibility

Namespace: Magento\Catalog\Model\Product
 Class: Visibility
 Used factory: Magento\Framework\DataObjectFactory
 Properties: Attribute
 Methods: config:create:Catalog_Product_Visibility
 config:execute:Catalog_Product_Visibility

Catalog_Product_Website

Namespace:	Magento\Catalog\Model\Product
Class:	Website
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Catalog_Product_Website config:set:Catalog_Product_Website config:create:Catalog_Product_Website config:execute:Catalog_Product_Website

Catalog_Product_Image

Namespace:	Magento\Catalog\Model\Product
Class:	Image
Used factory:	Magento\Catalog\Model\Product\ImageFactory
Properties:	BaseFile DestinationSubdir EntityId Height Id IdFieldName ImageProcessor Quality WatermarkFile WatermarkHeight WatermarkImageOpacity WatermarkPosition WatermarkWidth Width
Methods:	config:show:Catalog_Product_Image config:set:Catalog_Product_Image config:create:Catalog_Product_Image config:execute:Catalog_Product_Image

Catalog_Product_Gallery_Entry

Namespace:	Magento\Catalog\Model\Product\Gallery
Class:	Entry
Used factory:	Magento\Catalog\Api\Data\ProductAttributeMediaGalleryEntryInterfaceFactory
Properties:	Content CustomAttributes ExtensionAttributes File Id Label MediaType Position Types
Methods:	config:create:Catalog_Product_Gallery_Entry config:execute:Catalog_Product_Gallery_Entry

Catalog_Product_Compare_Item

Namespace:	Magento\Catalog\Model\Product\Compare
Class:	Item
Used factory:	Magento\Framework\DataObjectFactory
loadBy methods:	Product
Properties:	EntityId Id IdFieldName
Methods:	config:show:Catalog_Product_Compare_Item config:set:Catalog_Product_Compare_Item config:create:Catalog_Product_Compare_Item config:execute:Catalog_Product_Compare_Item

Catalog_Product_Option_Type

Namespace:	Magento\Catalog\Model\Product\Option
Class:	Type
Selectable by attribute	
Properties:	Code CustomAttributes ExtensionAttributes Group Label
Methods:	config:show:Catalog_Product_Option_Type config:set:Catalog_Product_Option_Type config:create:Catalog_Product_Option_Type config:execute:Catalog_Product_Option_Type

Catalog_Product_Option_Value

Namespace:	Magento\Catalog\Model\Product\Option
Class:	Value
Used factory:	Magento\Catalog\Api\Data\ProductCustomOptionValuesInterfaceFactory
Properties:	EntityId Id IdFieldName Option OptionTypeId Price PriceType Product Sku SortOrder Title Values
Methods:	config:show:Catalog_Product_Option_Value config:set:Catalog_Product_Option_Value config:create:Catalog_Product_Option_Value config:execute:Catalog_Product_Option_Value

Catalog_Product_Option_Type_DefaultType

Namespace:	Magento\Catalog\Model\Product\Option\Type
------------	---

Class:	DefaultType
Used factory:	Magento\Framework\DataObjectFactory
Properties:	Option Product
Methods:	config:create:Catalog_Product_Option_Type_DefaultType config:execute:Catalog_Product_Option_Type_DefaultType

Catalog_Product_Option_Type_Select

Namespace:	Magento\Catalog\Model\Product\Option\Type
Class:	Select
Used factory:	Magento\Framework\DataObjectFactory
Properties:	Option Product
Methods:	config:create:Catalog_Product_Option_Type_Select config:execute:Catalog_Product_Option_Type_Select

Catalog_Category

Namespace:	Magento\Catalog\Model
Class:	Category
Used factory:	Magento\Catalog\Model\CategoryFactory
Selectable by attribute	
Used repository:	Magento\Catalog\Model\CategoryRepository
Properties:	AffectedCategoryIds AffectedProductIds AvailableSortBy ChildrenData CreatedAt CustomAttributes ExtensionAttributes Id IncludeInMenu IsActive Level MovedCategoryId Name ParentId Path Position ProductCount SkipDeleteChildren StoreId UpdatedAt UrlKey
Methods:	config:show:Catalog_Category config:set:Catalog_Category config:create:Catalog_Category config:execute:Catalog_Category

Catalog_CategoryProductLink

Namespace:	Magento\Catalog\Model
Class:	CategoryProductLink
Used factory:	Magento\Catalog\Api\Data\CategoryProductLinkInterfaceFactory
Used repository:	Magento\Catalog\Api\CategoryLinkRepositoryInterface

Properties:	CategoryId CustomAttributes ExtensionAttributes Position Sku
Methods:	config:show:Catalog_CategoryProductLink config:set:Catalog_CategoryProductLink config:create:Catalog_CategoryProductLink config:execute:Catalog_CategoryProductLink

Catalog_Layer_State

Namespace:	Magento\Catalog\Model\Layer
Class:	State
Used factory:	Magento\Catalog\Model\Layer\StateFactory
Properties:	Filters
Methods:	config:create:Catalog_Layer_State config:execute:Catalog_Layer_State

Catalog_Layer_Filter_AbstractFilter

Namespace:	Magento\Catalog\Model\Layer\Filter
Class:	AbstractFilter
Used factory:	Magento\Framework\DataObjectFactory
Properties:	AttributeModel Items RequestVar StoreId WebsiteId
Methods:	config:create:Catalog_Layer_Filter_AbstractFilter config:execute:Catalog_Layer_Filter_AbstractFilter

Catalog_Layer_Filter_Decimal

Namespace:	Magento\Catalog\Model\Layer\Filter
Class:	Decimal
Used factory:	Magento\Framework\DataObjectFactory
Properties:	AttributeModel Items RequestVar StoreId WebsiteId
Methods:	config:create:Catalog_Layer_Filter_Decimal config:execute:Catalog_Layer_Filter_Decimal

Catalog_ProductFrontendAction

Namespace:	Magento\Catalog\Model
Class:	ProductFrontendAction
Used factory:	Magento\Framework\DataObjectFactory
Properties:	ActionId AddedAt CustomerId

	EntityId
	Id
	IdFieldName
	ProductId
	TypeId
	VisitorId
Methods:	config:show:Catalog_ProductFrontendAction
	config:set:Catalog_ProductFrontendAction
	config:create:Catalog_ProductFrontendAction
	config:execute:Catalog_ProductFrontendAction

Catalog_Layer

Namespace:	Magento\Catalog\Model
Class:	Layer
Used factory:	Magento\Framework\DataObjectFactory
Properties:	CurrentCategory
Methods:	config:create:Catalog_Layer
	config:execute:Catalog_Layer

Catalog_ProductOption

Namespace:	Magento\Catalog\Model
Class:	ProductOption
Used factory:	Magento\Catalog\Model\ProductOptionFactory
Properties:	CustomAttributes
	ExtensionAttributes
Methods:	config:create:Catalog_ProductOption
	config:execute:Catalog_ProductOption

Catalog_CustomOptions_CustomOption

Namespace:	Magento\Catalog\Model\CustomOptions
Class:	CustomOption
Used factory:	Magento\Catalog\Model\CustomOptions\CustomOptionFactory
Properties:	CustomAttributes
	ExtensionAttributes
	OptionId
	OptionValue
Methods:	config:create:Catalog_CustomOptions_CustomOption
	config:execute:Catalog_CustomOptions_CustomOption

Catalog_ProductLink_Attribute

Namespace:	Magento\Catalog\Model\ProductLink
Class:	Attribute
Used factory:	Magento\Catalog\Api\Data\ProductLinkAttributeInterfaceFactory
Properties:	Code
	CustomAttributes
	ExtensionAttributes
	Type
Methods:	config:create:Catalog_ProductLink_Attribute
	config:execute:Catalog_ProductLink_Attribute

Catalog_ProductLink_Link

Namespace:	Magento\Catalog\Model\ProductLink
Class:	Link
Used factory:	Magento\Catalog\Api\Data\ProductLinkInterfaceFactory
Selectable by attribute	
Used repository:	Magento\Catalog\Api\ProductLinkRepositoryInterface
Properties:	CustomAttributes ExtensionAttributes LinkType LinkedProductSku LinkedProductType Position Sku
Methods:	config:show:Catalog_ProductLink_Link config:set:Catalog_ProductLink_Link config:create:Catalog_ProductLink_Link config:execute:Catalog_ProductLink_Link

Catalog_ProductLink_Type

Namespace:	Magento\Catalog\Model\ProductLink
Class:	Type
Used factory:	Magento\Catalog\Api\Data\ProductLinkTypeInterfaceFactory
Properties:	Code CustomAttributes ExtensionAttributes Name
Methods:	config:create:Catalog_ProductLink_Type config:execute:Catalog_ProductLink_Type

Catalog_ProductRender_Button

Namespace:	Magento\Catalog\Model\ProductRender
Class:	Button
Selectable by attribute	
Properties:	CustomAttributes ExtensionAttributes PostData Url
Methods:	config:show:Catalog_ProductRender_Button config:set:Catalog_ProductRender_Button config:create:Catalog_ProductRender_Button config:execute:Catalog_ProductRender_Button

Catalog_ProductRender_FormattedPriceInfo

Namespace:	Magento\Catalog\Model\ProductRender
Class:	FormattedPriceInfo
Selectable by attribute	
Properties:	CustomAttributes ExtensionAttributes

	FinalPrice
	MaxPrice
	MaxRegularPrice
	MinimalPrice
	MinimalRegularPrice
	RegularPrice
	SpecialPrice
Methods:	config:show:Catalog_ProductRender_FormattedPriceInfo
	config:set:Catalog_ProductRender_FormattedPriceInfo
	config:create:Catalog_ProductRender_FormattedPriceInfo
	config:execute:Catalog_ProductRender_FormattedPriceInfo

Catalog_ProductRender_PriceInfo

Namespace:	Magento\Catalog\Model\ProductRender
Class:	PriceInfo
Selectable by attribute	
Properties:	CustomAttributes
	ExtensionAttributes
	FinalPrice
	FormattedPrices
	MaxPrice
	MaxRegularPrice
	MinimalPrice
	MinimalRegularPrice
	RegularPrice
	SpecialPrice
Methods:	config:show:Catalog_ProductRender_PriceInfo
	config:set:Catalog_ProductRender_PriceInfo
	config:create:Catalog_ProductRender_PriceInfo
	config:execute:Catalog_ProductRender_PriceInfo

Catalog_ProductRender_Image

Namespace:	Magento\Catalog\Model\ProductRender
Class:	Image
Selectable by attribute	
Properties:	Code
	CustomAttributes
	ExtensionAttributes
	Height
	Label
	ResizedHeight
	ResizedWidth
	Url
	Width
Methods:	config:show:Catalog_ProductRender_Image
	config:set:Catalog_ProductRender_Image
	config:create:Catalog_ProductRender_Image
	config:execute:Catalog_ProductRender_Image

Catalog_ProductRender

Namespace:	Magento\Catalog\Model
Class:	ProductRender
Selectable by attribute	

Properties:	AddToCartButton AddToCompareButton CurrencyCode CustomAttributes ExtensionAttributes Id Images IsSalable Name PriceInfo StoreId Type Url
Methods:	config:show:Catalog_ProductRender config:set:Catalog_ProductRender config:create:Catalog_ProductRender config:execute:Catalog_ProductRender

Catalog_Product

Namespace:	Magento\Catalog\Model
Class:	Product
Used factory:	Magento\Catalog\Model\ProductFactory
Selectable by attribute	
Used repository:	Magento\Catalog\Model\ProductRepository
Properties:	AssociatedProductIds AttributeSetId CategoryCollection CreatedAt CustomAttributes CustomOptions ExtensionAttributes HasError Id MediaGalleryEntries Name NewVariationsAttributeSetId Options Price ProductLinks Qty QuantityAndStockStatus RequestPath Sku Status StockData StoreId TierPrices TypeId TypeInstance UpdatedAt UrlKey Visibility WebsiteIds Weight
Methods:	config:show:Catalog_Product config:set:Catalog_Product config:create:Catalog_Product config:execute:Catalog_Product

Catalog_Rss_Product_NotifyStock

Namespace:	Magento\Catalog\Model\Rss\Product
Class:	NotifyStock
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Catalog_Rss_Product_NotifyStock config:set:Catalog_Rss_Product_NotifyStock config:create:Catalog_Rss_Product_NotifyStock config:execute:Catalog_Rss_Product_NotifyStock

Directory_Region

Namespace:	Magento\Directory\Model
Class:	Region
Used factory:	Magento\Directory\Model\RegionFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Directory_Region config:set:Directory_Region config:create:Directory_Region config:execute:Directory_Region

Directory_ResourceModel_Region_Collection

Namespace:	Magento\Directory\Model\ResourceModel\Region
Class:	Collection
Used factory:	Magento\Directory\Model\ResourceModel\Region\CollectionFactory
Properties:	MainTable
Methods:	config:create:Directory_ResourceModel_Region_Collection config:execute:Directory_ResourceModel_Region_Collection

Directory_ResourceModel_Country_Collection

Namespace:	Magento\Directory\Model\ResourceModel\Country
Class:	Collection
loadBy methods:	Store
Properties:	MainTable
Methods:	config:show:Directory_ResourceModel_Country_Collection config:set:Directory_ResourceModel_Country_Collection config:create:Directory_ResourceModel_Country_Collection config:execute:Directory_ResourceModel_Country_Collection

Directory_Country_Format

Namespace:	Magento\Directory\Model\Country
Class:	Format
Used factory:	Magento\Directory\Model\Country\FormatFactory

Properties:	EntityId Id IdFieldName
Methods:	config:show:Directory_Country_Format config:set:Directory_Country_Format config:create:Directory_Country_Format config:execute:Directory_Country_Format

Directory_Country

Namespace:	Magento\Directory\Model
Class:	Country
Used factory:	Magento\Directory\Model\CountryFactory
loadBy methods:	Code
Properties:	EntityId Id IdFieldName
Methods:	config:show:Directory_Country config:set:Directory_Country config:create:Directory_Country config:execute:Directory_Country

Directory_Currency

Namespace:	Magento\Directory\Model
Class:	Currency
Used factory:	Magento\Directory\Model\CurrencyFactory
Properties:	EntityId Id IdFieldName Rates
Methods:	config:show:Directory_Currency config:set:Directory_Currency config:create:Directory_Currency config:execute:Directory_Currency

Msrp_ProductRender_MsrpPriceInfo

Namespace:	Magento\Msrp\Model\ProductRender
Class:	MsrpPriceInfo
Selectable by attribute	
Properties:	CustomAttributes ExplanationMessage ExtensionAttributes IsApplicable IsShownPriceOnGesture MsrpMessage MsrpPrice
Methods:	config:show:Msrp_ProductRender_MsrpPriceInfo config:set:Msrp_ProductRender_MsrpPriceInfo config:create:Msrp_ProductRender_MsrpPriceInfo config:execute:Msrp_ProductRender_MsrpPriceInfo

Quote_Shipping

Namespace:	Magento\Quote\Model
Class:	Shipping
Used factory:	Magento\Quote\Model\ShippingFactory
Selectable by attribute	
Properties:	Address CustomAttributes ExtensionAttributes Method
Methods:	config:show:Quote_Shipping config:set:Quote_Shipping config:create:Quote_Shipping config:execute:Quote_Shipping

Quote_ResourceModel_Quote_Item_Option_Collection

Namespace:	Magento\Quote\Model\ResourceModel\Quote\Item\Option
Class:	Collection
Used factory:	Magento\Quote\Model\ResourceModel\Quote\Item\Option\CollectionFactory
Properties:	MainTable
Methods:	config:create:Quote_ResourceModel_Quote_Item_Option_Collection config:execute:Quote_ResourceModel_Quote_Item_Option_Collection

Quote_ShippingAssignment

Namespace:	Magento\Quote\Model
Class:	ShippingAssignment
Used factory:	Magento\Quote\Model\ShippingAssignmentFactory
Selectable by attribute	
Properties:	CustomAttributes ExtensionAttributes Items Shipping
Methods:	config:show:Quote_ShippingAssignment config:set:Quote_ShippingAssignment config:create:Quote_ShippingAssignment config:execute:Quote_ShippingAssignment

Quote_Cart_Currency

Namespace:	Magento\Quote\Model\Cart
Class:	Currency
Used factory:	Magento\Quote\Model\Cart\CurrencyFactory
Selectable by attribute	
Properties:	BaseCurrencyCode BaseToGlobalRate BaseToQuoteRate CustomAttributes ExtensionAttributes GlobalCurrencyCode QuoteCurrencyCode StoreCurrencyCode StoreToBaseRate StoreToQuoteRate
Methods:	config:show:Quote_Cart_Currency

```

config:set:Quote_Cart_Currency
config:create:Quote_Cart_Currency
config:execute:Quote_Cart_Currency

```

Quote_Quote

Namespace:	Magento\Quote\Model
Class:	Quote
Used factory:	Magento\Quote\Model\QuoteFactory
Used repository:	Magento\Quote\Model\QuoteRepository
loadBy methods:	Customer IdWithoutStore
Properties:	BillingAddress ConvertedAt CreatedAt Currency CustomAttributes Customer CustomerIsGuest CustomerNote CustomerNoteNotify CustomerTaxClassId ExtensionAttributes Id IsActive IsVirtual Items ItemsCount ItemsQty OrigOrderId Payment ReservedOrderId ShippingAddress Store StoreId UpdatedAt
Methods:	config:show:Quote_Quote config:set:Quote_Quote config:create:Quote_Quote config:execute:Quote_Quote

Quote_QuoteldMask

Namespace:	Magento\Quote\Model
Class:	QuoteldMask
Used factory:	Magento\Quote\Model\QuoteldMaskFactory
Properties:	EntityId Id IdFieldName
Methods:	config:show:Quote_QuoteldMask config:set:Quote_QuoteldMask config:create:Quote_QuoteldMask config:execute:Quote_QuoteldMask

Quote_Quote_Address

Namespace:	Magento\Quote\Model\Quote
Class:	Address
Used factory:	Magento\Quote\Model\Quote\AddressFactory
Properties:	AppliedTaxes City Company CountryId CustomAttributes CustomerAddressId CustomerId Email ExtensionAttributes Fax Firstname Id Lastname Middlename Postcode Prefix Quote Region RegionCode RegionId SameAsBilling SaveInAddressBook Street StreetFull Suffix Telephone VatId
Methods:	config:create:Quote_Quote_Address config:execute:Quote_Quote_Address

Quote_Quote_Address_Rate

Namespace:	Magento\Quote\Model\Quote\Address
Class:	Rate
Used factory:	Magento\Quote\Model\Quote\Address\RateFactory
Properties:	Address EntityId Id IdFieldName
Methods:	config:show:Quote_Quote_Address_Rate config:set:Quote_Quote_Address_Rate config:create:Quote_Quote_Address_Rate config:execute:Quote_Quote_Address_Rate

Quote_Quote_Address_Total_Collector

Namespace:	Magento\Quote\Model\Quote\Address\Total
Class:	Collector
Used factory:	Magento\Quote\Model\Quote\Address\Total\CollectorFactory
Properties:	Xml
Methods:	config:create:Quote_Quote_Address_Total_Collector config:execute:Quote_Quote_Address_Total_Collector

Quote_Quote_Address_Item

Namespace:	Magento\Quote\Model\Quote\Address
Class:	Item
Used factory:	Magento\Quote\Model\Quote\Address\ItemFactory
Properties:	Address
Methods:	config:create:Quote_Quote_Address_Item config:execute:Quote_Quote_Address_Item

Quote_Quote_Address_Total

Namespace:	Magento\Quote\Model\Quote\Address
Class:	Total
Used factory:	Magento\Quote\Model\Quote\Address>TotalFactory
Properties:	FullInfo
Methods:	config:create:Quote_Quote_Address_Total config:execute:Quote_Quote_Address_Total

Quote_Quote_Item

Namespace:	Magento\Quote\Model\Quote
Class:	Item
Used factory:	Magento\Quote\Model\Quote\ItemFactory
Properties:	ExtensionAttributes ItemId Name Options Price ProductOption ProductType Qty QtyOptions Quote QuoteId Sku
Methods:	config:create:Quote_Quote_Item config:execute:Quote_Quote_Item

Quote_Quote_Item_Option

Namespace:	Magento\Quote\Model\Quote\Item
Class:	Option
Used factory:	Magento\Framework\DataObjectFactory
Properties:	EntityId Id IdFieldName Item Product
Methods:	config:show:Quote_Quote_Item_Option config:set:Quote_Quote_Item_Option config:create:Quote_Quote_Item_Option config:execute:Quote_Quote_Item_Option

Quote_Quote_Item_AbstractItem

Namespace:	Magento\Quote\Model\Quote\Item
Class:	AbstractItem
Selectable by attribute	
Properties:	AppliedRuleIds BaseDiscountAmount BaseDiscountCalculationPrice ConvertedPrice CustomAttributes DiscountAmount OriginalPrice ParentItem Price
Methods:	config:show:Quote_Quote_Item_AbstractItem config:set:Quote_Quote_Item_AbstractItem config:create:Quote_Quote_Item_AbstractItem config:execute:Quote_Quote_Item_AbstractItem

Quote_Quote_Payment

Namespace:	Magento\Quote\Model\Quote
Class:	Payment
Used factory:	Magento\Quote\Model\Quote\PaymentFactory
Properties:	AdditionalData CustomAttributes ExtensionAttributes Method PoNumber Quote
Methods:	config:create:Quote_Quote_Payment config:execute:Quote_Quote_Payment